STATE OF OREGON WATER SUPPLY WELL REPORT

MORR 52683

	Page 1 of 3
VELL I.D. LABEL# L	143201
START CARD#	1056757
ORIGINAL LOG#	

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	6/20/2022	ORIGINAL LOG #	1030737	
(1) LAND OWNER Owner Well I.D.				
First Name Last Name	(9) LOCA	TION OF WELL (legal o	description)	
Company PROFFUTT LIMITED PARTNERSHIP	, ,	xow Twp 4.00 N N	_	E/W WN
Address 225 BROADWAY N	Sec _9	NW 1/4 of the NE	1/4 Tax Lot 109	1
City FARGO State ND Zip 58102 2) TYPE OF WORK New Well Deepening Conver	Tax Map Num	ber	Lot	
Alteration (complete 2a & 10) Abandonment(com	uplete 5a) Lat	or 45.8488000)0	DMS or DD
(2a) PRE-ALTERATION	Long	or <u>-119.69325</u>	500	DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd Casing:		Street address of well No DR NE BOARDMAN, OR 978		
Material From To Amt sacks/lbs	/U MAKINE	DR NE BUARDMAN, UR 9/8	16	
Seal:				
(3) DRILL METHOD	(10) STAT	IC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing V	Well / Pre-Alteration Date	te SWL(psi) +	SWL(ft)
Reverse Rotary X Other BUCKET AUGER	Complete	d Well 6/2/2022		12
4) PROPOSED USE Domestic Irrigation Community		Flowing Artesian?	Dry Hole?	
Industrial/ Commercial Livestock X Dewatering	WATER BEAI	RING ZONES Depth w	vater was first found	
Thermal Injection Other	SWL Date		st Flow SWL(psi)	
(5) BORE HOLE CONSTRUCTION Special Standard (At	ttach copy) 6/2/2022			
Depth of Completed Well 35.00 ft.	0/2/2022	12 35		12
BORE HOLE SEAL	sacks/			
Dia From To Material From To Am	100			
36 0 35	50 P			
Calculated 12.				
Calculated	(11) WELL	Ground Elevation	on	
How was seal placed: Method A B C D	E	Material	From	То
Other POURED AND PROBED	Brown Fine S		0	12
Backfill placed from ft. to ft. Material	Black Coarse Black Sandy (12 32	32
Filter pack from 5 ft. to 35 ft. Material PEA GRAVSize 1/8	3-1/4	Siaveis	32	
Explosives used: Yes Type Amount				
5a) ABANDONMENT USING UNHYDRATED BENTONIT	E			
Proposed Amount Pounds Actual Amount				
6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc W	71.1 771 1			
Casing Liner Dia + From To Gauge Stl Plstc W \bullet 12 \times 2 35 SCH40 \bullet \bullet	71d 1 hrd			
	╡			
Shoe Inside Outside Other Location of shoe(s)				
Temp casing Yes Dia From + To				
7) PERFORATIONS/SCREENS				
Perforations Method Screens Type Factory Slotted Material PVC SCH40	Dota Stanta	d.c/2/2022 C	1-41 (/2/2022	
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/ Date Started	10/2/2022 COII	npleted <u>6/2/2022</u>	
Screen Liner Dia From To width length slots	pipe size	Water Well Constructor Certif		
Screen Casing 12 15 35 .2		the work I performed on the c of this well is in compliance		
		standards. Materials used and in		
		knowledge and belief.	•	
	License Num	ber D	Date	
8) WELL TESTS: Minimum testing time is 1 hour	Signad			
Pump Bailer Air Flowing Arte	esian Signed			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)) (bonded) Wa	ter Well Constructor Certifica	ition	
		onsibility for the construction, of		
		ed on this well during the constr ring this time is in complian		
Temperature 56 °F Lab analysis Yes By		tandards. This report is true to t		
		License Number 2043 Date 6/20/2022		
	Units Electise Number		0/20/2022	
		CHARY NEIGEL (E-filed)		
	Contact Info (optional) Zachary Neigel #2043	3	

MORR 52683

WELL I.D. LABEL# L 143201

START CARD # 1056757

ORIGINAL LOG #

continuation page	6/20/2022	ORIGINAL LOG #	1056757
2a) PRE-ALTERATION	Water Qualit		
Dia + From To Gauge Stl Plstc Wld Thrd	From To		Amount Units
Material From To Amt sacks/lbs			
5) DODE HOLE CONSTRUCTION	(10) STATIO	WATER LEVEL	
5) BORE HOLE CONSTRUCTION BORE HOLE SEAL	SWL Date	From To Est F	low SWL(psi) + SWL(ft)
Dia From To Material From To Amt	sacks/		
Calculated			
Calculated			
Calculated			
Calculated			
FILTER PACK	(11) WELL I	OC	
From To Material Size	(11) WEEL I	Material	From To
		Material	FIOII 10
6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld	Inrd		
7) PERFORATIONS/SCREENS			
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/		
	pipe size		
	Comments/I	Remarks	
(8) WELL TESTS: Minimum testing time is 1 hour	Well constructe	d per OR WRD final order letter	dated 5/25/2022.
Yield gal/min Drawdown Drill stem/Pump depth Duration (h.	r)		

MORR 52683

6/20/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 143201 LOCATION OF WELL

Printed: June 20, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

Latitude: 45.84880000 Datum: WGS84

Longitude: -119.69325500

Township/Range/Section/Quarter-Quarter Section:

WM4.00N25.00E9NWNE

Address of Well:

70 MARINE DR NE BOARDMAN, OR 97818

