The original and first copy of this report are to be

of this report are to be filed with the 2 1975 STATE OF OREGON

NOV 2 7 1978 te Well No. 2 N 26E-26

STATE	ENGINEER,	SALEM,	OREGON	973167 N	ì
	within 30 da	ve from t	he date		

of well completion.

STATE ENGINEER P. STATE ENGINEED not write above this line) SALEM, OREGON

rmit No.			
MAD	p	54	7

SALEM, OKEOUT	<del> </del>		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Hen Campbell.	County Driller's well nu		
Address Star Koute	34 34 Section 26 T. 2 7	R. 2-6 E	. W.M.
	Bearing and distance from section or subdivision	on corner	
New Well Deepening Reconditioning Abandon Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 170		ft.
Rotary  Driven  Domestic  Industrial  Municipal  Domestic	Static level 160 ft. below land s	urface. Dat	e 11-20-73
Cable   Jetted   Irrigation   Test Well   State   S.	Artesian pressure lbs. per square		
CASING INSTALLED: Threaded   Weldedy   8." Diam. from	(12) WELL LOG: Diameter of well b	elow casing	8"
"Diam. from ft. to ft. Gage ft. Gage	Depth drilled /95 ft. Depth of comple	eted well	195 ft.
"Diam. from ft. to ft. Gage ft. Gage	Formation: Describe color, texture, grain size a		
Diant. Hone	and show thickness and nature of each stratum with at least one entry for each change of format		
PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate princ	cipal water-l	bearing strata.
_ype of perforator used	MATERIAL	From	To SWL
Size of perforations in. by in.	Topsie	0	7
perforations from	Thave & claratine	12	5
perforations from ft. to ft.	Clauston, Mellow	25 21	4
perforations from	Planting Rhe	74 8	9
periorations from	Baser	89 1	10
(7) SCREENS: Well screen installed? ☐ Yes S€No	Pock med broken	170 10	15 W.B.
Manufacturer's Name			
Type Model No			
Diam, Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made?  Yes No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.			
" " "			
Bailer test 300 gal./min. with 25 ft. drawdown after / hrs.			
Artesian flow g.p.m.			
Perature of water Depth artesian flow encountered ft.	Work started //- /6 19 23 Complete	ed //- 2	1973
(9) CONSTRUCTION:	Date well drilling machine moved off of well	11-2	N 19 75
Well seal-Material used Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported		
Diameter of well bore to bottom of sealin.	best knowledge and belief.	. 4	•
Diameter of well bore below seal in.	[Signed] (Drilling Machine Operator)	Date //- Z	19 7.3
Number of sacks of cement used in well seal		12-	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No		
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons		ation and 4	this report is
of water lbs./100 gals.	This well was drilled under my jurisdi true to the best of my knowledge and beli		me report is
Was a drive shoe used? Yes 🗆 No Plugs Size: location ft.	Name TRAY GRIFFIN (Person, firm or corporation)		
Did any strata contain unusable water?   Yes  No	(Person, firm or corporation)	(Type	or print)
Type of water? depth of strata	Address 900 HERMISTOHAVE.	HERMI	STOH OPL
Method of sealing strata off	[Signed] - Troy Muffi. (Water Well Contr.)		
Was well gravel packed? ☐ Yes 👿 No Size of gravel:	(Water Well Contr.		
Gravel placed from ft. to ft.	Contractor's License No Date	11-20	, 1973