

NOTICE TO WATER WELL CONTRACTOR: The original and first copy of this report are to be filed with the

RECEIVED MAR 9 1970

MARK 558

dab

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

STATE ENGINEER SALEM, OREGON

STATE OF OREGON (Please type or print) Do not write above this line

RECEIVED MAR 17 1970 STATE ENGINEER SALEM, OREGON

2N/27-81

(1) OWNER:

Name Porter-Peringer, Inc. Address E. 1727 20th., Spokane, Washington

(2) TYPE OF WORK (check):

New Well [] Deepening [X] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded [] Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? [] Yes [] No. Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 370 ft. below land surface Date 1-9-70 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? Columbia Pump Field: 150 gal./min. with 140 ft. drawdown after 2 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Depth of seal ft. Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [] Yes [] No Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off

(11) LOCATION OF WELL:

County Morrow Driller's well number 8 T. 2N R. 27E W.M. Bearing and distance from section or subdivision corner 2,888' S & 1,238' W of NE Corner of Section 8

(12) WELL LOG:

Diameter of well below casing 12 1/4" Depth drilled 200 ft. Depth of completed well 1,000 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Row 1: Black Porous Basalt, 800, 1,000, 370. Row 2: Cap Welded on Casing.

Work started 11-14 19 69 Completed 1-9 19 70 Date well drilling machine moved off of well 2-5 19 70

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Date 1970 (Drilling Machine Operator)

Drilling Machine Operator's License No. 126

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Morrison-Knudsen Company, Inc. (Person, firm or corporation) (Type or print) Address 212 S. E. First, Pendleton, Oregon 97801 [Signed]