

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER WELL REPORT

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)

MORR592

State Well No. 3N/2E-44AC1
State Permit No. G1284

(Do not write above this line)

This well originally drilled by Luther W. Cromer 1960

(1) OWNER:

Name George Harry Bulow
Address P.O. Box G, Irigoin, Oregon 97844

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded

1 1/4" Diam. from 0.0 ft. to 361.5 ft. Gage 188
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.

Type of perforator used ✓
Size of perforations ✓ in. by ✓ in. ✓
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name ✓
Type ✓ Model No. ✓
Diam. ✓ Slot size ✓ Set from ft. to ft.
Diam. ✓ Slot size ✓ Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
" ✓ gal./min. with ✓ ft. drawdown after ✓ hrs.
" " " " " "
" " " " " "
Bailer test ✓ gal./min. with ✓ ft. drawdown after ✓ hrs.
Artesian flow NONE g.p.m.
Temperature of water ✓ Depth artesian flow encountered ✓ ft.

(9) CONSTRUCTION:

Well seal—Material used ✓
Well sealed from land surface to ✓ ft.
Diameter of well bore to bottom of seal ✓ in.
Diameter of well bore below seal ✓ in.
Number of sacks of cement used in well seal ✓ sacks
How was cement grout placed? ✓
Was a drive shoe used? Yes No Plugs ✓ Size: location ✓ ft.
Did any strata contain unusable water? Yes No
Type of water? ✓ depth of strata ✓
Method of sealing strata off ✓
Was well gravel packed? Yes No Size of gravel: ✓
Gravel placed from ✓ ft. to ✓ ft.

(10) LOCATION OF WELL:

County MORROW Driller's well number 153
NE 1/4 NE 1/4 Section 4 T-3N R-26.E. W.M.
Bearing and distance from section or subdivision corner

965' SW. of the N.E. section corner.

(11) WATER LEVEL: Completed well.

Depth at which water was first found ✓ ft.
Static level 250.0 ft. below land surface. Date Mar. 8/80
Artesian pressure NONE lbs. per square inch. Date Mar. 8/80

(12) WELL LOG:

Diameter of well below casing 12" to 4 1/2" 8" to 6 3/8"

Depth drilled 0.0 ft. Depth of completed well 680.0 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>Suspended 360.5 ft</u>			
<u>10 3/8 O.D. x 188 wall</u>			
<u>Liner from 0.0 to 361.5</u>			
<u>Drilled & Bailed Case</u>			
<u>from Hole to 680.0 ft</u>			
<u>Bailed Hole clean after</u>			
<u>drilling was completed</u>			
<u>to Bottom of well.</u>			

RECEIVED

MAR 25 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started Mar. 1 1980 Completed Mar. 8 1980
Date well drilling machine moved off of well Mar. 8 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] J. Brown Date MAY 10, 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 1153

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Brown & Brown Drilling Co.
(Person, firm or corporation) (Type or print)

Address P.O. Box 124, Hermiston, Oregon

[Signed] John J. Brown 97838
(Water Well Contractor)

Contractor's License No. 516 Date Mar. 10, 1980