RECEIVED

NOTICE TO WATER WELL CONTRACABR 2 7 1965

The original and first conv. TE ENGINEWATER WELL REPORT of this report are to a TE ENGINEWATER WELL REPORT filled with the STATE ENGINEER, SALEM 10, STATE OF OREGON within 30 days from the date of well completion.

MORR612				
14)		•		
State Well No. 31/2	7 - 4f	- /		
G3092 State Permit No.		***************************************		
L TESTS: Drawdown is amount w lowered below static leest made? Tyves No If yes, by whom	vel			
gal./min. with 30 ft. drawdov	vn after	LO hrs.		
22 22		**		
gal./min. with ft. drawdov	yn after	hrs.		
NOT TESTED Date				
of water Was a chemical analysis r	nade? 🔲 🤈	Yes X No		
LL LOG: Diameter of well below car 108 ft. Depth of completed we excribe by color, character, size of materia is of aquifiers and the kind and nature of rated, with at least one entry for each ci	108	ft.		
MATERIAL	FROM	то		
	ZERO	5		
GRANEL	5	30		
GRAVEL	30	70		
	70	80		
	80	108		
		s.		
	·			
				
		·		
7.00				
-				
-				
JUNE 1, 1963. Completed SI	EPT 1,	1963		
	L,	1963		
S Name WESTERN IA ND ROLLER BINE	H.P. 40	0		
Contractor's Certification:				
was drilled under my jurisdiction and this report is est of my knowledge and belief.				

(1) OWNER: Name CLARK & BERNICE KEY		(11) WELL TESTS: Drawdown is amount we lowered below static leve Was a pump test made? Tryves No If yes, by whom?	el
Address ROUTE I 1. BOX 184 A		Yield: 400 gal./min. with 30 ft. drawdown	
HERMISTON, OREGON		" " "	,,
		" " " " "	"
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdown	n after hrs.
County MORROW Driller's well	number (3) TRREE	Artonian flow	
SE ¼ W ¼ Section 4 T.	3 R. 27N W.M	Temperature of water Was a chemical analysis m.	ade? [] Ves XXNo
Bearing and distance from section or subdivisi	on corner		Add: 1 105 Prito
FROM NE CORNER OF SECTION 4	4, SOUTH 1980 FEET	(12) WELL LOG: Diameter of well below casi	ng 20
WEST 3960 FEET.		Depth drilled 108 ft. Depth of completed well	108 ft.
		Formation: Describe by color, character, size of material show thickness of aquifiers and the kind and nature of the stratum penetrated, with at least one entry for each characteristics.	and structure, and the material in each ange of formation.
		MATERIAL	FROM TO
(3) TYPE OF WORK (check):			ZERO 5
	ditioning		5 30
abandonment, describe material and proced	lure in Item 12.	CLAY AND GRAVEL	30 70
	/p\	CDA 1/97	70 80
(4) PROPOSED USE (check):	(5) TYPE OF WELL	CLAY	80 108
Domestic	Rotary Driven Cable XX Jetted	ODA1	200
Irrigation Test Well Other	Dug 🗌 Bored 🗍		
(a) CACTACO TAXONATE TO	· · · · · · · · · · · · · · · · · · ·		
(6) CASING INSTALLED: Three 20 To Diam. from ZERO ft. to 65	aded Welded		
		- I	
ft. to ft. to	· ·		
	ft. Gage		
(7) PERFORATIONS: Per Type of perforator used	forated? 🗌 Yes 🔀 No		
Size of perforations in. by	in.		
perforations from			
perforations from	It. 10 T		
(8) SCREENS: Well screen insta	alled? 🗆 Yes 🏝 No		
	odel No.		
Diam Slot size Set from			
Diam Slot size Set from		work started Johns 1, 1903. Completed 31.	
Diam. Dio Sile		Date well drilling machine moved off of well SEPT 1	, ₁₉ 63
(9) CONSTRUCTION:		(13) PUMP:	
Well seal-Material used in seal		LOT CONTINUE TA A TO TOTAL TOTAL	
Depth of seal ft. Was a	packer used?	_ TURBINE	ъ 40
Diameter of well bore to bottom of seal	in.	П.	.P
Were any loose strata cemented off? ☐ Yes [Water Well Contractor's Certification:	
Was a drive shoe used? ☐ Yes ☐ No		This well was drilled under my jurisdiction a	nd this report is
Was well gravel packed? ☐ Yes ☐ No S	ize of gravel:		na tins report is
Gravel placed from ft. to	ft.	DY A Detail	
Did any strata contain unusable water? ☐ Yes XXNo		- NAME (Person, firm or corporation)	(Type or print)
	·····	Address	
	M WA CO ULL		
Method of sealing strata off		Drilling Machine Operator's License No.	
(10) WATER LEVELS:	•	[Cimed]	
Static level 56 ft. below land	surface Date AUG 63	[Signed]	
Artesian pressure lbs. per squ	are inch Date	Contractor's License No Date	
			,