

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED JUL 7 1963

STATE OF OREGON WATER WELL REPORT

MORR 613

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

State Well No. 3 N / 27 - 14 ad

State Permit No. 2823

G 3092

(1) OWNER:

Name Clark + Bernice Key
Address Rt 1 Box 184 A Hermiston, Ore

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Cable [x] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [x] Other []

CASING INSTALLED:

10" Diam. from 0 ft. to 80 ft. Gage 1/4
Threaded [] Welded [x]

PERFORATIONS:

Type of perforator used Turck
Size of perforations 1/2 in. by 4 in.
300 perforations from 50 ft. to 80 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 40 ft. below land surface Date 5/5/63
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [x] Yes [] No If yes, by whom? Self
100 gal./min. with 10 ft. drawdown after 36 hrs.

(10) CONSTRUCTION:

Well seal-Material used Bentonite
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 16 in.
Were any loose strata cemented off? [] Yes [x] No Depth
Was a drive shoe used? [x] Yes [] No
Did any strata contain unusable water? [] Yes [x] No
Type of water? depth of strata 50-80
Method of sealing strata off
Was well gravel packed? [] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Morrow Driller's well number 1
SW 1/4 NE 1/4 Section 4 T. 3N R. 27E W.M.
Bearing and distance from section or subdivision corner (30 ft W)

(12) WELL LOG:

Diameter of well below casing 10 in
Depth drilled 80 ft. Depth of completed well 80 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Handwritten entries: Top Soil (0-5), Sand + Gravel (5-40), Clay + Gravel (40-80).

Work started March 19 1963 Completed May 19 1963

Date well drilling machine moved off of well May 19 1963

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Clark Key By Bernice Key (Drilling Machine Operator) Date

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date 19