(MORR 614

/			
2N /	11	\sim	
3N/27	 7	(フ	ı
'21	- 1	\sim	

NOTICE TO WATER WELL CONTRICTORPR 2 1965

The original and first copy of this report are to be a second filed with the STATE ENGINEER WELL REPORT STATE ENGINEER, SALEM 10, OREGONEM OREGON (Please type or print)

State Well No. ..

within 30 days from the date of well completion.	(Please t	ype or print) G 3092 State Permit No	
(1) OWNER:		(11) WELL TECTS. Drawdown is amount water le	vel is
NameCLARK & BERNICE KEY		lowered below static level	RLF
Address RT. 1, BOX 184 A		Yield: 500 gal./min. with 25 ft. drawdown afte	r 10 hrs.
HERMISTON, OREGON		" "	11
(0) = 0 = 0 = 0 = 0 = 0		" " "	12
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdown after	r hrs.
M12 3773	number TWO (2)	Artesian flow g.p.m. Date	
SW 14 NE 14 Section 4 T.	3 R. 27 N W.M	Temperature of water NOT TESTED was a chemical analysis made?	□ Yes XNo
Bearing and distance from section or subdivision			-
FROM NE CORNER OF SECTION	4, SOUTH 1980 FE	Diameter of well below casing	12
WEST 2640 FEET		Depth drilled 88 ft. Depth of completed well	88 ft.
		Formation: Describe by color, character, size of material and s show thickness of aquifiers and the kind and nature of the ma	tructure, and terial in each
		stratum penetrated, with at least one entry for each change	of formation.
		MATERIAL FROI	M TO
(3) TYPE OF WORK (check):		TOP SOIL ZEI	
Well XX Deepening [Recond	litioning		30
abandonment, describe material and procedu	ure in Item 12.	CLAY AND GRAVEL 30	60
(A) PROPOSED TISE (I - I)	(2) BYTHY OR THEFT	WHITE SAND 60	70
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	CLAY 70	88
Domestic	Rotary Driven Cable KK Jetted		
Irrigation Test Well Other	Dug 🔲 Bored 🔲		
(C) CACING INCOMITTED.	3. 3 C		
(6) CASING INSTALLED: Threa 12 Plan, from ZERO ft. to 8	ided □ Welded XX		
·	- •		
		1	
	ft. Gage		
(7) PERFORATIONS: Perf	forated? 🖎 es 🗌 No		
Type of perforator used TORCH	_		
Size of perforations 1 in. by	4 in.	The state of the s	
perforations from 50			
perforations from			
(8) SCREENS: Well screen instal	lled? 🗌 Yes 🚻No		
Manufacturer's Name	-		
Мо	del No		
Mam Slot size Set from	ft. to ft	Work started SEPT 15 19 62. Completed APR 10) 1965
Diam Slot size Set from	ft. to ft	Date well drilling machine moved off of well APR. 23	1965
(0) CONCERNICATION. NOT ANY	AT TO A DT T		1500
• •	PLICABLE	(13) PUMP:	
Well seal—Material used in seal		Managacturer & Manie	40
Depth of seal ft. Was a packer used?		Type: TURBINE H.P.	40
Diameter of well bore to bottom of seal			
Were any loose strata cemented off? Yes	No Depth		
Was a drive shoe used? Yes No		This well was drilled under my jurisdiction and the true to the best of my knowledge and belief.	is report is
	ize of gravel:	If de to the best of my knowledge and belief.	
Gravel placed fromft. to	ft.	- NAME	
Did any strata contain unusable water?	s XXNo	(Person, firm or corporation) (Typ	e or print)
Type of water? Depth of s	trata	Address	
Method of sealing strata off		Drilling Machine Constants I tonge 37-	
(10) WATER LEVELS:		Drilling Machine Operator's License No.	
•	A /10/6#	[Signed]	
	surface Date 4/10/65	(Water Well Contractor)	
Artesian pressure lbs. per squa	are inch Date	Contractor's License No Date	, 19

(USE ADDITIONAL SHEETS IF NECESSARY)