

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

State Well No. **4N/25E-8**

State Permit No. _____

(1) OWNER: CORPS OF ENGINEERS

Name BOARDMAN PARK
Address BLDG. 602 CITY COUNTY AIRPORT SE 1/4 NW 1/4 Section 8 T. 4N R. 25E W.M.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded

....." Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations in. by in.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name HYDROPHILIC INDUSTRIES

Type P.V.C. SCHEDULE 40 Model No. _____

Diam. 6 Slot size 40 Set from 34 ft. to 50 ft.

Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? STRASSER

Yield: 4.30 gal./min. with 14 ft. drawdown after 2 hrs.

Ballor test gal./min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used _____

Well sealed from land surface to ft.

Diameter of well bore to bottom of seal in.

Diameter of well bore below seal in.

Number of sacks of cement used in well seal sacks

Number of sacks of bentonite used in well seal sacks

Brand name of bentonite _____

Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.

Was a drive shoe used? Yes No Plugs Size: location ft.

Did any strata contain unusable water? Yes No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel: NO 6 MONTEREY SAND

Gravel placed from 34 ft. to 50 ft.

(10) LOCATION OF WELL:

County MOERCO Driller's well number 5422

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.

Static level 9 ft. below land surface. Date 6/15/73

Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing ft.

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL

Work started JUNE 7 1973 Completed JUNE 15 1973

Date well drilling machine moved off of well JUNE 15 1973

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [Signature] Date 7/9, 1973
(Drilling Machine Operator)

Drilling Machine Operator's License No. 57

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name R. STRASSER DRILLING CO
(Person, firm or corporation) (Type or print)

Address 8110 SE SUNSET LAKE PORTLAND ORE

[Signed] [Signature]
(Water Well Contractor)

Contractor's License No. 10 Date JULY 9, 1973