WATER WELL REPORT STATE OF OREGON



RECEIVED

SEP 221983

40/	1 27E-28ac
T	Λ

State Well No. WATER RESOURCES DEPT. State Permit No. Record-SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name 1) H Sac.	County Morrow Driller's well number		
Address RRI Box 1824	SW 4 NE 4 Section 28 T. 4 AR. 27 EW.M.		
City Mermiston State OKE	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location: Well #		
New Well □ Deepening □ Reconditioning ★ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.		
Rotary Air 💋 Driven 🗆 Domestic 🗀 Industrial 🗆 Municipal 🗅	Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date		
Rotary Mud Dug Irrigation Test Well Other Thermal: Withdrawal Reinjection	sos per oquare mon bate		
E) CACING INCOALLED	Don'th duilled		
Threaded □ Welded □	Formation: Describe color, texture, grain size and structure of materials; and show		
	thickness and nature of each stratum and aquifer penetrated, with at least one entry		
	for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
LINER INSTALLED:	MATTER AT		
	MATERIAL From To SWL		
" Diam. from	Deependa well #/		
(6) PERFORATIONS: Perforated? ☐ Yes ☐ No	FOR 12H ZAC. Well		
Type of perforator used	was pumping poa		
Size of perforations in. by in.	gravel and pump		
perforations from ft. to ft.	was at 35% officency		
perforations from	into the MA Col		
perforations from	The state of the t		
(7) SCREENS: Well screen installed? ★ Yes □ No	Of MC Screen		
Manufacturer's Name Self Made	WITH R packer		
Type PUC - 160 PST Model No.	Developed.		
Diam. 10 " Slot Size 690 Set from 121 ft. to 161 ft.	000 00 10 101 51		
Diam. Slot Size Set from ft. to ft.	Dea grave 126 158 81		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	13000N Clay 158 161		
Was a pump test made? Yes No If yes, by whom?	. 327		
gal./min, with ft: drawdown after hrs.			
11 " " "			
Air test 1200 gal./min. with drill stem at 160 ft. 4 hrs.			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started 9-6 19 83 Completed 9-13 1983		
(9) CONSTRUCTION: Special standards: Yes \(\text{No } \)	Detail 1 (III)		
Well seal—Material used Not Distanted			
Well sealed from land surface toft.	Drilling Machine Operator's Certification:		
Diameter of well bore to bottom of seal in.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore below sealin.	[Signed] Date 9-15 10 83		
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)		
How was cement grout placed?	Drilling Machine Operator's License No.		
ARIOWO. 4.6. 770. 4.1.	Water Well Contractor's Certification:		
The state of the s	This well was drilled under my jurisdiction and this report is true to		
Was pump installed?	the best of my knowledge and belief. Name Drawa B Drawa Drilling 6		
Was a drive shoe used? Yes No Plugs Size: location ft.	(Person, firm or corporation) (Type (i print)		
Address			
Type of Water? depth of strata Method of sealing strata off [Signed]			
(Water Well Contractor)			
Was well gravel packed? ☐ Yes 📜 No Size of gravel: Cravel placed from	Contractor's License NoDate 9-13, 19.83		