State Well N	. 4N/	27-28
--------------	-------	-------

MORR	956	(2
2	340 1018 24A	
	DEGENTE -24A	
A OTICE TO WATER WELL CONTRACTOR	13 WAY 12 1900 14	
The original and first copy of this report are to be WATER WE	LL REPORT No. 4 N	27-28
filed with the ENGINEER, SALEM, OREGON 97310 within 30 days from the data of well completion. (Please tyles)	FOREGON	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount w	vater level is
Name Arnold Breat	Was a pump test made? Yes & No If yes, by whom	
Address Rt1-Box 179	Yield: gal./min. with ft. drawdow	
HERMISTON OREGON	" "	
(2) LOCATION OF WELL: Ordnance Quad	Bailer test 30 gal./min. with no ft. drawdo	wn after 1 5 hrs.
County United States of Driller's well number	Bailer test SU gal./min. with NO ft. drawdo Artesian flow g.p.m. Date	W. W. C. 15 1112.
aut w Alex Section 28 T. 4N R. 27 W.M.	Temperature of water Was a chemical analysis m	nade? 🗌 Yes 📋 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below cas	ing 16"
	Depth drilled 100 ft. Depth of completed wel	
•	Formation: Describe by color, character, size of material show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each ch	ange of formation.
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	Sandy soil	0 26
Be^− Well 🖫 Deepening 🗆 Reconditioning 🗀 Abandon 🗀	Clay & fine gravel	26 58
in andonment, describe material and procedure in Item 12.	Fine gravel and water	58 100
(4) PROPOSED USE (check): (5) TYPE OF WELL:		
Domestic Industrial Municipal Rotary Driven Cable Driven		
Irrigation & Test Well Other Dug Bored		
(6) CASING INSTALLED: Threaded Welded W		
ft. toft. Gage		
(7) PERFORATIONS: Perforated of Yes 1 No		
Type of perforator used cutting torch		
Size of perforations 1 in. by 4 in. long		
220 perforations from 2 n. to 29 ft. 220 perforations from 7.3 ft. to 98 ft.		
perforations from the transfer of the perforations from the perforations from the perforations from the perforation from the perforati		
perforations from ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		
. Model No.		
Diam. Slot size Set from ft. to ft.	Work started Larch 14966 Completed Ap	
Diam. Slot size Set from ft. to ft.	Date well drilling machine moved off of well April	4 1966
(9) CONSTRUCTION:	(13) PUMP:	
Well seal-Material used in seal Bentonite	Manufacturer's Name	
Depth of seal 22 ft. Was a packer used?	Type:	A.P
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification:	
Were any loose strata cemented off? ☐ Yes 35 No Depth	This well was drilled under my jurisdiction	and this report is
Was well gravel packed? ☐ Yes 👸 No Size of gravel:	true to the best of my knowledge and belief.	
olaced from ft. to ft.	NAME John Hershey well Drill	ing
y strata contain unusable water? 📋 Yes 🔉 No	(Person, firm or corporation) (Ty Address Rt 1, Box 552, Hermist	•
Type of water? depth of strata		
Method of sealing strata off	Drilling Machine Operator's License No143	7
(10) WATER LEVELS:	[Signed] John T. Hersh	U.J.
Static level 58 ft. below land surface Date 4/4/66	(water well Contractor)	¥ 1966
Artesian pressure lbs. per square inch Date	Contractor's License No. 315 Date April	