

STATE ENGINEER
Salem, Oregon

OBSERVATION WELL
Well Record

STATE WELL NO. 4N/27-28
COUNTY ~~Clatsop~~ ^{Wasco}
APPLICATION NO. 4819

6-5544 (3)
J.W. Acllett No 2
Scott Chapman

MORE
960

OWNER: MAILING ADDRESS: Box 150

LOCATION OF WELL: Owner's No. #1 CITY AND STATE: Ordinance Oregon

SW NW 28 4 N. 27 E.
..... 1/4 1/4 Sec. T. S., R. W., W.M.

Bearing and distance from section or subdivision corner

Altitude at well 550

TYPE OF WELL: Drilled Date Constructed

Depth drilled 119 ft. Depth cased

Section 28

CASING RECORD: 12 inches.

FINISH:

AQUIFERS: "Pea gravel" from 72 ft. to 80 ft.

WATER LEVEL: 64 feet below land surface. 60.63' (11-10-61)

PUMPING EQUIPMENT: Type Turbine H.P.
Capacity G.P.M.

WELL TESTS:
Drawdown ft. after hours G.P.M.
Drawdown ft. after hours G.P.M.

USE OF WATER Irrigation Temp. °F., 19....

SOURCE OF INFORMATION USGS

DRILLER or DIGGER

ADDITIONAL DATA:
Log Water Level Measurements Chemical Analysis Aquifer Test

REMARKS: Reportedly test pumped 820 gpm for 17 hours with no drawdown.

STATE ENGINEER
Salem, Oregon

FO
4N/27-28
State Well No. _____
County Humboldt Mayrow
Application No. _____

Well Log

Owner: Scott Chapman Owner's No. _____

Driller: A.M. Edwards Date Drilled 1954

CHARACTER OF MATERIAL	(Feet below land surface)		Thickness (feet)
	From	To	
Glaciofluvial deposits:			
Soil, sandy, loose	0	2	2
Gravel, cemented	2	5	3
Boulders, gravel and sand	5	18	13
Hardpan	18	21	3
Boulders	21	31	10
Clay, yellow	31	35	4
Gravel	35	37	2
Clay, blue	37	42	5
Clay, yellow, sandy	42	60	18
Sand, coarse, and "pea Gravel"	60	61	1
Clay, blue, and heavy boulders	61	64	3
Clay, yellow, mixed with gravel	64	72	8
"Pea gravel", sandy, water bearing	72	80	8
Gravel, large and small, mixed	80	87	7
Gravel, cobble-size, and smaller gravel	87	98	11-
Gravel, pebbles	98	101	3
Gravel, cobbles	101	105	4
"Pea gravel" and sand	105	109	4
"Pea gravel" and cobbles	109	119	10