

OBSERVATION WELL

MULT 1053

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

Record from well

WATER WELL REPORT

registration No. GR-3605 STATE OF OREGON

State Well No. IN/1-34N 13

State Permit No.

(1) OWNER:

Name United State National Bank
Address P. O. Box 4410
Portland 8, Oregon

(2) LOCATION OF WELL:

County Multnomah Owner's number, if any—
SW 1/4 SW 1/4 Section 34 T. 1 N R. 1 E W.M.
Block 83, Portland Addition

Bearing and distance from section or subdivision corner

Block 83, Portland Addition

elevation 38 feet

(3) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []
** abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven []
Cable [] Jetted []
Dug [] Bored []

(6) CASING INSTALLED:

12" Diam. from ? ft. to ? ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? [] Yes [] No
Type of perforator used unknown
SIZE of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed [] Yes [] No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
um. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Was well gravel packed? [] Yes [] No Size of gravel:
Gravel placed from ft. to ft.
Was a surface seal provided? [] Yes [] No To what depth? ft.
Material used in seal—
Did any strata contain unusable water? [] Yes [] No
Type of water? Depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 28 ft. below land surface Date Oct. 1947
Artesian pressure lbs. per square inch Date

Log Accepted by:

[Signed] Date, 19 (Owner)

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [] No If yes, by whom?
Yield: 300 gal./min. with 71 ft. drawdown after hrs.
400 " 105 " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:

Diameter of well 12 inches.
Depth drilled 548 ft. Depth of completed well 544 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Lists geological layers like elevator shaft, gravel, cemented, & boulders, silt, yellow, etc. with depth ranges.

(See sheet 2 for continuation of log)
Work started Sept. 19 47 Completed Oct 19 47

(13) PUMP:

Manufacturer's Name Layne & Bowler
Type: Turbine H.P. 20

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME (Person, firm, or corporation) (Type or print)
Address
Driller's well number
[Signed] (Well Driller)
License No. Date, 19

Water Level Record

OWNER: *U.S. National Bank* OWNER'S NO. _____

Description of measuring point: _____

Electrical Conductivity in micromohs at 25°C

Date	EC Water Level Feet (above) or (below) Land Surface	Remarks	Date	Water Level Feet (above) or (below) Land Surface	Remarks
<i>4-19-61</i>	<i>3500</i>	<i>74° WSB P.O.</i>			
<i>7-18-61</i>	<i>4200</i>	<i>64° WSB P.O.</i>			
<i>10-12-61</i>	<i>2600</i>	<i>68° WSB P.O.</i>			

REMARKS: _____
