DECEIVE WATER WELL REPORT State Well No. 14/1 -35-1/ File Original and JUL 19 1961 STATE OF OREGON Duplicate with the STATE ENGINEER, SALEM, OREGON State Permit No. ..... STATE ENGINCER Drawdown is amount water level is lowered below static level (11) WELL TESTS: (1) OWNER: Name Tonkin Motor Co. M. OREGON Was a pump test made? Yes | No If yes, by whom? Drilling Co. gal./min. with 35 ft. drawdown after Address 334 S. E. Grand Ave. Yield: 85 Portland, Oregon ,, (2) LOCATION OF WELL: hrs. gal./min. with ft. drawdown after Bailer test Owner's number, if any-County g.p.m. Date Artesian flow SW 14 SW 14 Section 35 T. IN R. 1 E. Temperature of water 570 Was a chemical analysis made? 

Yes Bearing and distance from section or subdivision corner (12) WELL LOG: Diameter of well ...... 295 Ft. N. and 360 ft. East of SW ft. Depth of completed well Depth drilled 90 corner of SW # Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL 0 6 Top soil TYPE OF WORK (check): 19 6. Rock fill Abandon 🗌 New Wellx 37 19 Coarse sand and silt If abandonment, describe material and procedure in Item 11. 37 42 Cemented gravel (5) TYPE OF WELL: PROPOSED USE (check): 42 51 Sand and gravel (some water) Rotary 70 estic 🗌 Industrial 🗌 Municipal 🗍 51 Small gravel Jetted Cable Sand and gravel (water bearing70 81 gation 🗌 Test Well 🗎 Other Bored Dug 90 Sand, gravel and clay (6) CASING INSTALLED: Threaded [ Welded X 8 "Diam. from ......0 ft. to ......90 ft. Gage std..... " Diam. from ...... ft. to ..... ft. Gage ..... Perforated? 

Yes 

No (7) PERFORATIONS: Type of perforator used Star 3/8 in. by SIZE of perforations 210 perforations from 42 ft. to 49 180 perforations from 52 ft. to 58 ft. 270 perforations from 71 ft. to 80 ft. perforations from \_\_\_\_\_ ft, to \_\_\_\_\_ ft. perforations from ...... ft. to ..... ft. Well screen installed ☐ Yes ☐ No SCREENS: facturer's Name Type \_\_\_\_\_\_ Model No. \_\_\_\_ Diam. Slot size Set from ft. to ft. to ft. 19 61 Completed June 10 Work started May 24 iam, ...... Slot size ...... Set from ..... ft. to ...... (13) PUMP: CONSTRUCTION: Was well gravel packed? Yes V No Size of gravel: Manufacturer's Name Gravel placed from ...... ft. to ..... ft. Was a surface seal provided? Tyes \( \bar{\chi} \) No To what depth? ... Well Driller's Statement: Material used in seal— This well was drilled under my jurisdiction and this report is Did any strata contain unusable water? 🗌 Yes 🏝 No true to the best of my knowledge and belief. Type of water? Depth of strata NAME R.J. Strasser Drilling Co. (Type or print) Method of sealing strata off Address 8110 S. E. Sunset Lane, Portland 6,0re. (10) WATER LEVELS: ft. below land surface Date 6/10/61 Static level 28 lbs. per square inch Date Driller's well number ... Artesian pressure Paul O Thydman mgs Log Accepted by:

[Signed] (Well Priller)

License No. 10 Date July 17 , 1961