MULT 120447

STATE OF OREGON

WATER SUPPLY WELL REPORT

SKYLES DRILLING, INC.

M	ואו.	12044	1.7
77	,	7	
VELL ID # L	_N/A		

(as required by ORS 537.765)

TART CARD #	18/4027504

Instructions for completing this report are on the last page of this form 503-656-2683				
(1) OWNER: Well Number: 01 (9) LOCATION OF WELL by legal description:				
Name _Urban Renaissance Group/Fortis Construction, Inc	County Multnomah Latitude Longitude Township 1SOUTHN or S. Range 1EAST E or W. of WM.			
Address 522 SW 5th Ave #1105 City Portland State OR Zip 97204	Section03BC SW 1/4 1/4			
	Tax lot _2000 Lot Block Subdivision			
(2) TYPE OF WORK: Street Address of Well (or nearest address) 1320 SW Broadway, Portland, OR Portland, OR				
New Well Deepening Alteration (repair/recondition) X Abandonment	(10) STATIC WATER LEVEL:			
(3) DRILL METHOD:	92 ft. below land surface. Date 8/25/2015			
X Rotary Air □ Rotary Mud □ Cable □ Auger	Artesian pressure lb. per square inch. Date			
Other (11) WATER BEARING ZONES:				
(4) PROPOSED USE:	Depth at which water was first found N/A			
□ Domestic □ Community X Industrial □ Irrigation □ Thermal □ Injection □ Livestock □ Other	From To Estimated Flow Rate SWL			
	Pigni 10 Estimated Flow Rate SVL			
(5) BORE HOLE CONSTRUCTION:				
Special Construction approval X Yes No Depth of Completed Well _0ft. Explosives used Yes X No Type Amount				
HOLE SEAL Amount	(40) NICH 100			
Diameter From To Material From To sacks or pounds 14 Cement w/5% 198	(12) WELL LOG: Ground elevation			
14 Cement w/5% 198 bentonite 23 189 Sacks	Material From To SWL			
Bentonite 23 0 28 Sacks	Abandonment Only of MULT 2734			
Calculated 200 Sacks	Casing is 17' below the sidewalk.			
	Unable to Perforate 13.25" x 0.5" Casing- No Perforator Available For This Size			
How was seal placed: Method A B C D E				
X Other Pumped at bottom; poured bentonite Backfill placed from ft. to ft. Material				
Gravel placed from ft. to ft. Size of gravel	SKYLES DRILLING, INC.			
(6) CASING/LINER: Diameter From To Gauge Steel Plastic Welded Threaded	503-656-2683			
Casing: 13.25 17 189 .500 X X	RECEIVED BY OWRD			
Existng	THE PART OF THE PA			
	CED 1 1 core			
Liner: 10 152 198 X X	SEP 1 1 2015			
Existng				
Final location of shoe(s) N/A	SALEM, OR			
(7) PERFORATIONS/SCREENS:				
X Perforations Method Mills Knife				
Screens Type Material				
Slot Tele/pipe From To síze Number Diameter size Casing Liner				
152 196 1x3 25				
	Date started 8/25/2015 Completed 8/27/2015			
	(unbonded) Water Well Constructor Certification:			
	I certify that the work I performed on the construction, alteration, or abandon-			
(8) WELL TESTS: Minimum testing time is 1 hour	ment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my			
Pump Bailer Air Flowing Artesian knowledge and belief.				
Yield gal/min Drawdown Drill stem at Time	WWC Number 1884 Signed Date 8/29/2015			
N/A	Skyles Drilling, Inc.			
	(bonded) Water Well Constructor Certification:			
I accept responsibility for the construction, alteration, or abandonment we performed on this well during the construction dates reported above. All we				
Temperature of Water Depth Artesian Flow found	performed during this time is in compliance with Oregon water supply well			
Was a water analysis done? Yes By whom	construction standards. This report is true to the best of my knowledge and belief.			
Did any strata contain water not suitable for intended use? Salty Muddy Odor Colored Other	Signed Stum C Sland Date 8/29/2015			
Depth of strata:	Skyles Drilling, Inc.			