NOTICE TO WATER WELL CONTRACTOR EWATER WELL REPORT The original and first copy State Well No of this report are to be filed with the TATE OF OREGON STATE ENGINEER, SALEM, OREGON STAPN 1 4 1050 (Please type or print) of well completion STATE ENGINEER write above this line) within 30 days from the date SALEM OREGON (11) LOCATION OF WELL: (1) OWNER: Multnomah Driller's well number Mobile Village County 13055 S.E.STARK ST. PORTLAND, ORE 14 Section 35 T. 1N Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [ Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): (12) WELL LOG: Diameter of well below casing Tráiler Court Domestic □ Industrial □ Municipal □ Driven [ 330 Jetted [ Depth drilled ft. Depth of completed well Irrigation | Test Well | Other Bored [ Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, **CASING INSTALLED:** Threaded | Welded | with at least one entry for each change of formation. Report each change " Diam. from \_\_\_\_0 ft. to \_\_\_\_52 in position of Static Water Level as drilling proceeds. Note drilling rates. .... ft. to ...232 From MATERIAL ... ft. to ... 327 8 " Diam. from 226 Gravel. Med. to Coarse ERFORATIONS:

Perforated? Yes No.

Perforated? Yes No.

Perforated? Yes No.

Perforated? Yes No. 76 12 Gravel. Coarse Gravel, cemented Med to The 8 Torg 158 Coarse Gravel.Comented,water 168 perforations from bearing 30 GPM 158 220 220 240 perforations from ... Gravel, cemented w/streaks ..60... perforations from . 280 of Sandy Clay 220 275 .60 perforations from .... Gravel, Med. water brng. 280 328 27.... perforations from Gravel. cemented 328 330 (7) SCREENS: Well screen installed? 

Yes Manufacturer's Name ..... Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. (8) WATER LEVEL: Completed well. ft. below land surface Date 8/28/68 level 153 7/3 rtesian pressure lbs. per square inch Date Drawdown is amount water level is lowered below static level Bottner 9) WELL TESTS: Was a pump test made? 🔀 Yes 📋 No If yes, by whom? 19 68 Completed 1968 gal./min. with 45 ft. drawdown after Date well drilling machine moved off of well 1968 216 Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Mategal./min. with ft. drawdown after Bailer test rials used and information reported above are true to my best knowledge and belief. Artesian flow g.p.m. Date Ved Date Oct.1 19 68 53 Was a chemical analysis made? 

Yes 

No Temperature of water (10) CONSTRUCTION: Drilling Machine Operator's License No Well seal—Material used Bentonite, Cement & Sand Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is Diameter of well bore to bottom of seal . true to the best of my knowledge and belief. Were any loose strata cemented off? 🗌 Yes 🛣 No Depth ... NAME HAAKON BOTTNER DRILLING COMPANY Was a drive shoe used? X Yes 🔲 No (Person, firm or corporation) Did any strata contain unusable water? 

Yes No Type of water? depth of strata Method of sealing strata off

Contractor's License No. 109 Date ///23

Size of gravel: ..

Was well gravel packed? ☐ Yes ☐ No

Gravel placed from ...... ft. to ......