NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the WATER RESOURCES DEPARTMENT, WATER RESOURCES DEPARTMENT, WATER RESOURCES DEPARTMENT,	OREGON (MULI) State Well No.	JN/3E-14	100
SALEM, OREGON 97310 (Please type within 30 days from the date WALE 1989) (Do not write ab WALE RESOURCES DEPT	ove this line) 01251 State Permit No	o	
(1) OWNER: CRECON	(10) LOCATION OF WELL:		
Name Sundial Marine Tug & Barge	County Multnomah Driller's well number		
Address Rt. 2 Box 19A	SW 14 SW 14 Section J4 T. IN R. 3E W.M.		
Trotdale, Oregon 97060	Bearing and distance from section or subdivision	on corner	
(2) TYPE OF WORK (check):			
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 30 ft.		
	Static level 25 ft. below land surface. Date12-19-79		
Cable			
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per squar	e inch. Date	
CASING INSTALLED: Threaded Welded XX	(12) WELL LOG: Diameter of well h	elow casing6	
6 "Diam from 0 ft. to 227 ft. Gage • 250	Depth drilled 233 ft. Depth of compl	eted well 233	ft.
* THEXT PLES	Formation: Describe color, texture, grain size a		
" Diam. fromft. toft. Gage	and show thickness and nature of each stratus with at least one entry for each change of format position of Static Water Level and indicate prin	tion. Report each chang	ge in
Perforated? Yes XX No.	MATERIAL	From To SW	
Type of perforator used	mucky sand	0 16	
Size of perforations in. by in.	mucky sand & clay	16 30	
perforations from	sand, water	30 85	
perforations fromft. toft.	sand, wood, water	85 100	
perforations from ft. to ft.	sand	100 135	
(7) SCREENS: Well screen installed? XX Yes [] No	sand, water	135 180	
Manufacturer's NameUOP_Johnson	sand & water some silt	1 1	25
Typestainless Model No	sand & gravel water	222 233	-
Diam6. Slot size15. Set from226. ft. to233 ft.			
Diam. Slot size Set from ft. to ft.		<u> </u>	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes No If yes, by whom?	<u> </u>	W For No.	
60 gal./min. with 0 ft. drawdown after hrs.	MLULI	W In La	
" " "		1979	
n n n		CES DEPT	
Bailer test 60 gal./min. with 0 ft. drawdown after 1 hrs.	SALEMAO	1 4	
Artesian flow g.p.m.			
crature of water Depth artesian flow encountered ft.	Work started 12-14 19 79 Complete		979
(9) CONSTRUCTION:	Date well drilling machine moved off of well	12-19- 19	9 79
Vell seal—Material usedcement	Drilling Machine Operator's Certification:		_
all sealed from land surface toft.	This well was constructed under my Materials used and information reported	direct supervisi	ion. mv
meter of well bore to bottom of sealin.	best knowledge and helief,		
neter of well bore below sealin.	[Signed] Atomain Date 12-20, 19.79		
ver of sacks of cement used in well seal	Drilling Machine Operator's License No.	841	
vas cement grout placed?	Diffing Machine Operator & Lifetime 110		
	Water Well Contractor's Certification:		
	This well was drilled under my jurisd	iction and this repor	rt is
drive shoe used? Y Yes \(\) No Plugs Size: location ft.	true to the best of my knowledge and belief. Hansen Drilling Co., Inc.		
y strata contain unusable water? Yes X No		(Type or print)	_
f water? depth of strata	(Person, firm or corporation) 6711 NE 58th Ave. Var.	couver, WA.	
of sealing strata off	and the last	40-	
ell gravel packed? Yes No Size of gravel:	[Signed] (Water Well Care	ractor)	
\ G _{ra}	Contractor's License No. 604 Date	12-20 19	9 79
	HEETS IF NECESSARY)	8P*4585	56-119
(USE ADDITIONAL S	LEGIO IF NECESSARI)		