WATER WELL REPORT STATE OF OREGON

MMU**[**T 1273

DEC 16.1981 State Permit No. WATER RESOURCES DEPT

SALLM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:
Come of PARTAIN	County Mult Driller's well number 530 &
Name Address 1220 500. 57# AJE	SW 4 NW 4 Section 20 T. /N R. 3 E W.M.
City FORTIAND State ORE 97204	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check): WELLNO 7	Address at well location:
New Well	(11) WATER LEVEL: Completed well.
If abandonment, describe material and procedure in Item 12.	Depth at which water was first found 3/4 ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level ft. below land surface. Date
Rotify Air Doriven Domestic Industrial Municipal	Artesian pressure lbs. per square inch. Date
R W Mud Dug	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic Welded W	Depth drilled \$50 ft. Depth of completed well \$43.5 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
	MATERIAL From To SWL
7/2 3/40	SEE ATTACHED SHEET
(6) PERFORATIONS: Perforated? □ Yes No Type of perforator used	
Size of perforations in. by in.	
perforations from	
perforations from	
perforations from ft. to ft.	
Manufacturer's Name Type STATES Model No. Diam. Slot Size Set from ft. to ft. Drawdown is amount water level is lowered below static level	
s a pump test made? Yes \(\subseteq No \) If yes, by whom? \(\subseteq TLASSER \) yeld: \(\subseteq 000 \) gal/min. with \(\subseteq 55 \) ft. drawdown after \(\subseteq 8 \) hrs.	
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal/min. with ft. drawdown after hrs.	
esian flow g.p.m. Depth artesian flow encounteredft.	Work started DEC 17 19 81 Completed NOV 24 19 81
	Date well drilling machine moved off of well Description Description Description Description Description 19 8
(9) CONSTRUCTION: Special standards: Yes \(\text{No.} \) No. \(\text{Vell seal-Material used} \)	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Add Machine Operator) Date 2/1519.8.
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.
How was cement grout placed? PUMPED THROUGH ONE LINCH PIPE TO BOTTOM OF CASING	Water Well Contractor's Certification:
AS IT WAS REMOVED	This well was drilled under my jurisdiction and this report is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief. Nome R. J. STRASSER DEKLING Co.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	Address 8/10 SF JUDS ET LANE TORTLAND CEE
Type of Water? depth of strata	[Signed] Robert Thask
Method of sealing strata off	(Water Well Contractor)
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No
LYDIVE DESCRIPTION	

Phone: 771-2355

nuetnomak TIVED Oity of Portland (1:1981

R. J. Strasser Drilling Co.

WATER RESOURCES DEPT. SALEM, OREGON

8110 S. E. Sunset Lane Portland, Oregon 97206

December 8, 1981

Log of production well #7

brown silty clay	0 - 4
brown and yellow clay	4 - 16
sand, silt and clay	16 - 50
	50 - 65
grey and blue clay	65 - 104
sandstone	104 - 113
clay	113 - 173
cemented sand and gravel	173 - 205
grey clay	205 - 230
green and brown clay	230 - 238
grey silt and clay	
cemented sand and gravel	238 - 288
grey and green clay, some gravel	288 - 310
sand and silt	310 - 314
sand and gravel	314 - 319
cemented gravel and sand	319 - 340
sandstone	340 - 346
fine grey sand	346 - 361
sand and gravel	361 - 380
black basalt boulders	380 - 408
sand	408 - 425
sand and gravel	425 - 433
sand and silt	433 - 443
blue and green clay	443 - 450

MULT 1273 KEGEIVEU

DEC 16 1981

WATER RESOURCES DEPT SALLM, OREGON

(7) SCREENS

City of Portland.

SLOT SIZE 12 SETFROM 325 FT. TO 345 12 DIAM. 345 Fr To 355 BLANK PIPE 10 DIAM. 365 SLOTSIZE 10 SETTROM 355 FTTO. DIAM. 12 375 SLOT SIZE 12 SETTROM 365FT. TO DIAM. 12 SETTROM 375 FT, TO BLANK PIPE 10 12 SET FROM 380 FT. TO DIAM. SLOT SIZE 20 SET FROM 390 FT, TO 405 12 DIAM. SLOT SIZE 15 SET FROM 405FT, To 415 12 DIAM SLOT SIZE 10 SET FROM 415 FT TO 430. SLOT 512E 12 DIMM 12 DIAM

MULT 1273

Phone: 771-2355

R. J. Strasser Drilling Co.

8110 S. E. Sunset Lane Portland, Oregon 97206

April 27, 1982

RECEIVED

APR 29 1982 WATER RESOURCES DEPT SALEM, OREGON

City of Portland

addendum to production well #7

14/3E-20be

(9) Construction

well sealed with cement grout from 180 to 200 feet well sealed with cement grout from 290 to 310 feet