NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

STATE ENGINEER, SALEM, OREGON Within 30 days from the date of well completion.

MULWATER WELL REPORT RECEIVED

STATE OF OREGON

JUL 1 9 1974 State Well No. /N/3E-25

STATE ENGINEER Permit No. ..... Please type or print) no not write above this line SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:  County W	
do a bala baye		
Name 7 D 10 74 Det 4		
Address 239 ( ME / W ( D) / MAC)		
(a) TWDE OF WORK (check)	Bearing and distance from section or subdivision	n corner
(2) TYPE OF WORK (check):	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	1
New Well Deepening  Reconditioning  Abandon		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found So 1 dec ,ft.	
Rotary Driven Domestic M Industrial Municipal D	Static level 3 8 ft. below land s	urface. Date for 18-7
Cable Jetted J		717
Dug	Artesian pressure ibs. per square	s men. Bate /
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well below casing	
6 " Diam. from Q ft. to 10.20 ft. Gage 250		
5 " Diam. from 95 ft. to 110 ft. Gage 125#	Depth drilled ft. Depth of completed well ft.	
	Formation: Describe color, texture, grain size a	nd structure of materials;
" Diam. fromft. toft. Gage	and show thickness and nature of each stratur with at least one entry for each change of format	tion. Report each change in
PERFORATIONS: Perforated? Yes 2006.	position of Static Water Level and indicate princ	cipal water-bearing strata.
Type of perforator used Saw out	MATERIAL	From To SWL
	Quine) & boulder	0 25
Size of perforations in. by in.	hine clay	25 102
		102 110
perforations from ft. to ft.	saud 570Me	1020 110
perforations from ft. to ft.		
(7) SCREENS: Well screen installed?   Yes No		
Manufacturer's Name	The second secon	
Type Model No.	The second secon	<del></del>
Diam. Slot size Set from ft. to ft.	5 t	+- 1101
Diam. Slot sizeSet from ft. to ft.	Surface pipe Set	to 40
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	MEMODED STEV SEA	liuf,
10 Welled Below Budge 10 702		<del>- Υ</del>
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.	From 0-22-	remented.
" " "	with Do sacks wear	Chucyle
n n n		
6		· · · · · · · · · · · · · · · · · · ·
Bailer test 2 gal./min. with / Oft. drawdown after / hrs.		
Artesian flow g.p.m.		
perature of water 53 Depth artesian flow encountered ft.	Work started How 1 19 74 Complete	ed /7 by, 0 19/4
(A) CONTRACTOR	Date well drilling machine moved off of well	ADIVIT 8 1974
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:	
Well seal-Material used Cemey	This well was constructed under my	
Well sealed from land surface toft.	Materials used and information reported above are true to my	
Diameter of well bore to bottom of sealin.	best knowledge and belief	
Diameter of well bore below seal driver pipe	[Signed] (Drilling Machine Operator) Date 19 / 4	
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 12/4	
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operators Execute 1(c)	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	_ = ==	iction and this report is
of water MIXed with cemen lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
Was a drive shoe used? Yes 🗌 No Plugs Size: location ft.	Name O/Sen Well Drilling Anci	
Did any strata contain unusable water?   Yes No	(Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address Address Address	'ell-Aresud
Method of sealing strata off	( (O) ( )) V.la.	
	[Signed] (Water Well Cont	ractor)
Was well gravel packed?  Yes No Size of gravel:	The Control of the Co	A
Gravel placed fromft. toft.	Contractor's License No. 2 Date	1046, 19/4
\	TENEROR TELEVISION AND STATE OF THE STATE OF	011 9392A4CD