

RECEIVED  
SEP 4 1958

MULT  
001433

IN 73-35A(1)

File Original and  
First Copy with the  
STATE ENGINEER,  
SALEM, OREGON

STATE ENGINEER WATER WELL REPORT  
STATE OF OREGON  
SALEM OREGON

State Well No. \_\_\_\_\_  
State Permit No. G1105

(1) OWNER:  
Name FIRMA. V. GOODMAN  
Address Rt. 2, Rt 807  
Troutdale, Oregon

(2) LOCATION OF WELL:  
County Multnomah Owner's number, if any—  
NE 1/4 NE 1/4 Section 35 T. 1 N R. 3 E W.M.  
Bearing and distance from section or subdivision corner  
S 51° 30' W - 1480 feet from  
NE Corner section 35

(3) TYPE OF WORK (check):  
New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 11.

PROPOSED USE (check):  
Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) TYPE OF WELL:  
Rotary  Driven   
Cable  Jetted   
Dug  Bored

(6) CASING INSTALLED:  
Threaded  Welded   
" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage Reck  
6" Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Gage Steel  
" Diam. from 203 ft. to Drive ft. Gage stand and

(7) PERFORATIONS:  
Perforated?  Yes  No  
Type of perforator used none  
SIZE of perforations in. by in.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(8) SCREENS:  
Well screen installed  Yes  No  
Manufacturer's Name \_\_\_\_\_  
Type \_\_\_\_\_ Model No. \_\_\_\_\_  
Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(9) CONSTRUCTION:  
Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Was a surface seal provided?  Yes  No To what depth? 30 ft.  
Material used in seal Sand Gravel x Cement  
Did any strata contain unusable water?  Yes  No  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

(10) WATER LEVELS:  
Static level 158 ft. below land surface Date 2/7/57  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Log Accepted by:  
[Signed] \_\_\_\_\_ Date April 13, 1957  
(Owner)

(11) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom? \_\_\_\_\_  
Yield: gal./min. with ft. drawdown after hrs.  
" " " " "  
" " " " "  
" " " " "  
Bailer test 15 gal./min. with 4 ft. drawdown after hrs.  
Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_  
Temperature of water \_\_\_\_\_ Was a chemical analysis made?  Yes  No

(12) WELL LOG: Diameter of well 6 inches.  
Depth drilled 205 ft. Depth of completed well 205 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
<u>Rocky Top Soil</u>	<u>1</u>	<u>3</u>
<u>Gravel x Boulders</u>	<u>3</u>	<u>37</u>
<u>Loose Gravel</u>	<u>37</u>	<u>46</u>
<u>Cemented Gravel</u>	<u>46</u>	<u>54</u>
<u>Loose Gravel (very Gravel)</u>	<u>54</u>	<u>99</u>
<u>Cemented Gravel</u>	<u>99</u>	<u>107</u>
<u>Brown Clay</u>	<u>107</u>	<u>138</u>
<u>Gravel x Boulders</u>	<u>138</u>	<u>175</u>
<u>Cemented Gravel</u>	<u>175</u>	<u>205</u>
<u>Water from 203 to 205</u>		

Work started Nov 14 1956 Completed Feb 7 1957

(13) PUMP: SA-150B4, Installed by  
3/23/57, submersible Boettner  
Manufacturer's Name \_\_\_\_\_ H.P. 1 1/2  
Type: Serial No. 2991 H.P. \_\_\_\_\_

Well Driller's Statement:  
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Hankson J. Boettner  
(Person, firm, or corporation) (Type or print)  
Address 11544 N.E. Glenwood Portland 16  
Driller's well number \_\_\_\_\_  
[Signed] \_\_\_\_\_ (Well Driller)  
License No. 109 Date \_\_\_\_\_, 19\_\_\_\_