WELL I.D. LABEL# L  $_{151228}$ STATE OF OREGON MULT 143923 START CARD# WATER SUPPLY WELL REPORT 1072772 10/14/2025 ORIGINAL LOG# (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. EW-01 First Name Last Name (9) LOCATION OF WELL (legal description) Company PORT OF PORTLAND County MULTNOMAH Twp 1.00 N N/S Range 2.00 E E/W WM Address 7200 N.E. AIRPORT WAY Sec 8 SW 1/4 of the NE 1/4 Tax Lot 300 City PORTLAND State OR Tax Map Number \_ New Well Deepening (2) TYPE OF WORK or 45.58716000 Alteration (complete 2a & 10) Abandonment(complete 5a) " or -122.58731500 DMS or DD (2a) PRE-ALTERATION Street address of well
Nearest address Stl Plstc Wld Thrd Gauge 7000 NE AIRPORT WAY Material From Amt sacks/lbs Seal: (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) Rotary Air Rotary Mud Cable Auger Existing Well / Pre-Alteration Reverse Rotary X Other DUAL ROTARY FRC Completed Well 54.16 Flowing Artesian? Dry Hole? Domestic (4) PROPOSED USE Irrigation Livestock X Industrial/ Commercial Dewatering WATER BEARING ZONES Depth water was first found 70.00 X Thermal Injection Other SWL Date Est Flow SWL(psi) + SWL(ft) From To (5) BORE HOLE CONSTRUCTION Special Standard (Attach copy 12/12/2024 70 23.98 Depth of Completed Well 424.00 ft. 12/12/2024 310 435 1000 23.98 **BORE HOLE SEAL** sacks To Dia From Material From To Amt lbs 20.5 24 0 154 40 S Calculated 18 20 154 430 430 Bentonite Chips 33.5 40 18 (11) WELL LOG Calculated Ground Elevation Seal placement method: A B C D E Other: From To Material See Attached As Built with Formation Log 449 Backfill placed from 424 ft. to 449 ft. Material \_ Size 20/40 Filter pack from \_\_\_280\_\_ ft. to \_\_282 ft. Material SAND Explosives used: Type Seal Placement Begin Date 6/12/2024 Begin Time | 08 (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Mat Shoe Type Wld Thrd Shoe Location Dia From Gauge To C 18 3.5 0.500 STС × 313 0.375 ST3.5 16 С 324 331 0.375 ST× 16  $\overline{\mathsf{x}}$ C 16 374 381 0.375 ST16 384 0.375 Temp casing X Yes Dia 24 From+ X 2 (7) PERFORATIONS/SCREENS Perforations Method Construction Screens Type V-Wire Wrap Material 304 SS End Date 9/26/2025 Begin Date Begin Time 08 2/16/2024 Perf/ Casing/ Screen Slot # of Tele/ Scrn/slot (unbonded) Water Well Constructor Certification Pipe size Screen Liner To width length From I certify that the work I performed on the construction, deepening, alteration, or Screen Casing Pipe Size 324 16 313 .055 abandonment of this well is in compliance with Oregon water supply well Screen Casing 331 374 .055 Pipe Size 16 construction standards. Materials used and information reported above are true to .055 Pipe Size Screen Casing 16 381 384 the best of my knowledge and belief. Screen Casing 16 391 404 .055 Pipe Size License Number 2040 411 422 Screen Casing 16 .055 Pipe Size (8) WELL TESTS: Minimum testing time is 1 hour DAVID SANDY (E-filed) Drill Stem/ Duration Yield Drawdown Pump Depth (hr) (bonded) Water Well Constructor Certification Type of Test (gal/min)

120

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Date 10/14/2025

300

°F Lab analysis X Yes By GSI Water Solutions

Yes (describe below) TDS amount 64

mg/L

License Number 1523

Signed ROBERT STADELI (E-filed) Drilling Company: Holt Services Inc

802

Pump

Water quality concerns?

WELL I.D. LABEL# L 1512 START CARD # 1072

L	151228	
#	1072772	
#		

		- r8	-								1	10/1	4/2025			ORIGI	NAL LOG	#			
2a) P	RE-AI	TER	ATI	ON									Water	Quali	ty Co	ncerns				•	
Dia	+	From	T	o (	Gauge	Stl	Plstc	Wld	Thr	d			From	Т	o'		Description	n	A	Amount	Units
						$\mathbb{C}$															
	$\dashv \vdash \!\!\!\! \perp$						Q														
	$\sqcup \sqcup$							Ш													
N	/Iaterial			From	То	Amı	sack	s/lbs													
			$\dashv$													TER LI					
5) BC	RE H	OLE	CON	ISTRI	JCTION	v v						_	SWL D	ate	Froi	m T	o E	st Flov	v SWL(	psi) +	SWL(ft)
	BORE H		001		01101	•	SEA	Δ T													
Dia	Fron		o	Ma	aterial		Fron		То	An		acks/ lbs									
				Cement			33.5		280 ulate	d 282		S			-					_	-
											2.0										
								Calc	ulate	d											
								Calc	culate	ed											
								Calo	ulate	ed			(11) WI	ELL							_
		ER PA					α.									Material				From	To
г	From	T			aterial	1.	Siz	e	7												
-	282	4	24	SAND		- 18	8X16		-												
ŀ						+			+												
												_							+		
6) CA	SING	LINE	R																		
							Mat.				Sho	oe									
C/L _	Dia		rom	То	Gaug				Thrd	Shoe	Loca	tion									
C	16		404	411	0.375	5	ST	×	Н			$\dashv$							+		
$\dashv\vdash$		$\mathbf{H}$				-		Н	Н		-	-									
$\exists \vdash$						7		П	П												
$\Box$									Ш												
						_  -		Н	Н		-										
$\dashv\vdash$		$\mathbf{H}$				┪		Н	Н			-									
٦ŀ						<b>-  </b>		Н	H												
				•	•														+		
												-									
7) PE	RFOR	ATIC	NS/	SCRE	ENS														-		
Perf/	Casing	Scree	1			Scr	n/slot	Slo	t	# of	Te	ele/							+		
	Liner	Dia		From	То	Wi	idth	leng	th	slots	Pipe										
Screen	Casing	16		422	424				-		Pipe	Size									
			+						$\rightarrow$				Name of	person	(s) who	o assisted w	ith construc	ction ar	nd Traine	e Licens	e # / Helpe
			+						$\dashv$			-			istant N				ype		#
			╧																		
			$\perp$																		
(0) 11	TET T	rrem	C. 11/	ini	m to =4!-	. a. 4		. 1 L													
(0) W	'ELL	LEST)		i <b>nimu</b> 'ield	m testir	ıg t	ı <b>me ıs</b> Drill			uration			Comm	ente/	Reme	arke					
7	Type of T	`est		ieia I/min )	Drawdo	wn				(hr)							-inch Pitless	. Unit v	with 18 v	16 redu	er. 20-
	_			,				•					inch					. CIII	10 A	-0.1044	, =-0
					+				+		4		Addition	nal tem	porary	casings 20	-inch +2 to	430, 18	8-inch +2	to 449,	all

removed during well construction

## MULT 143923

### 10/14/2025

# Map of Hole

### STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

## Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL Well Label: 151228

Printed: October 2, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

Latitude: 45.58716000 Datum: WGS84

Longitude: -122.58731500

Township/Range/Section/Quarter-Quarter Section:

WM1.00N2.00E8SWNE

Address of Well:

7000 NE AIRPORT WAY



### **MULT 143923**

### 10/14/2025

# Map of Hole

### **EXTRACTION WELL EW-01 PRELIMINARY AS-BUILT**

