WELL I.D. LABEL# L $_{136258}$ STATE OF OREGON MULT 143925 START CARD# 1074477 WATER SUPPLY WELL REPORT 10/14/2025 ORIGINAL LOG# (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. IW-04 First Name Last Name (9) LOCATION OF WELL (legal description) Company PORT OF PORTLAND County MULTNOMAH Twp 1.00 N N/S Range 2.00 E E/W WM Address 7200 N.E. AIRPORT WAY NW 1/4 of the SW 1/4 Tax Lot <u>00801</u> City PORTLAND State OR Zip 97218 Tax Map Number New Well Deepening (2) TYPE OF WORK or 45.58448000 Alteration (complete 2a & 10) Abandonment(complete 5a) " or -122.57538000 DMS or DD (2a) PRE-ALTERATION Street address of well Nearest address Stl Plstc Wld Thrd Gauge 8215 NE AIRPORT WAY FRONTAGE RD PORTLAND, OR 97220 Material From To Amt sacks/lbs Seal: (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) Rotary Air Rotary Mud Cable Auger Existing Well / Pre-Alteration Reverse Rotary X Other DUAL ROTARY FRC Completed Well 23.15 10/14/2025 Flowing Artesian? (4) PROPOSED USE Domestic Dry Hole? Irrigation Livestock X Industrial/ Commercial Dewatering WATER BEARING ZONES Depth water was first found 30.00 X Thermal Injection Other SWL Date Est Flow SWL(psi) + SWL(ft) From To (5) BORE HOLE CONSTRUCTION Special Standard (Attach copy 12/12/2024 30 240 Depth of Completed Well 435.00 ft. 12/12/2024 350 430 750 9 **BORE HOLE SEAL** sacks Dia From Material From To Amt lbs 335 20 0 150 376 S 150 Calculated 268 16 350 12.75 350 (11) WELL LOG Calculated Ground Elevation Seal placement method: A B C D E Other: From To Material Backfill placed from 435 ft. to 445 ft. Material 8X16 SAND See Attached As Built with Formation Log 445 Filter pack from 320 ft. to 322 ft. Material SAND Size 20/40 Explosives used: Type Seal Placement Begin Date 11/15/2024 Begin Time | 07 (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Mat Shoe Type Wld Thrd Shoe Location Dia From Gauge To C 14 3.5 0.500 STС × 12.75 345 0.375 ST3.5 L 8.63 337 340 0.312 ST× From+ | 2 Temp casing X Yes Dia 20 (7) PERFORATIONS/SCREENS Perforations Method Construction Screens Type V-Wire Wrap Material 304 SS End Date 9/29/2025 Begin Date Begin Time 11 7/26/2024 Perf/ Casing/ Screen Slot # of Tele/ Scrn/slot (unbonded) Water Well Constructor Certification Pipe size Screen Liner Dia From To width length I certify that the work I performed on the construction, deepening, alteration, or Pipe Size Screen Liner 8.63 345 .055 340 abandonment of this well is in compliance with Oregon water supply well Screen Liner 8.63 345 375 Pipe Size construction standards. Materials used and information reported above are true to 375 Screen Liner 8.63 430 Pipe Size the best of my knowledge and belief. Screen Liner 8.63 430 435 Pipe Size License Number 2040 (8) WELL TESTS: Minimum testing time is 1 hour DAVID SANDY (E-filed) Drill Stem/ Duration Yield Drawdown Pump Depth (hr) (bonded) Water Well Constructor Certification Type of Test (gal/min) 100 Pump 471 I accept responsibility for the construction, deepening, alteration, or abandonment

ORIGINAL - WATER RESOURCES DEPARTMENT

°F Lab analysis X Yes By GSI Water Solutions

Yes (describe below) TDS amount 72

Water quality concerns?

mg/L

License Number 1523

Signed ROBERT STADELI (E-filed)
Drilling Company: Holt Services Inc

work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Date 10/14/2025

WELL I.D. LABEL# L 13 START CARD # 10 ORIGINAL LOG #

L	136258	
#	1074477	
#		

continuation page	10/14	4/2025	ORIGIN	AL LOG#		
(2a) PRE-ALTERATION		Water Qua	lity Concerns		,	
Dia + From To Gauge Stl Plstc Wld Thrd		From	To I	Description	Amoun	t Units
Material From To Amt sacks/lbs						
		(10) STAT	IC WATER LE	VEL		
5) DODE HOLE CONSTRUCTION		SWL Date	From To	Est Flov	v SWL(psi)	+ SWL(ft)
5) BORE HOLE CONSTRUCTION						
BORE HOLE SEAL Dia From To Material From To An	sacks/				+	
Dia From 10 Material From To An	nt lbs				+	
Calculated	-+					
Calculated						
					+	
Calculated						
Calculated		(11) WELI	LOG			
FILTER PACK			Material		Fron	n To
From To Material Size						
322 435 SAND 8X16						
6) CASING/LINER						
Mat.	C1					
C/L Dia + From To Gauge Type Wld Thrd Shoe	Shoe Location					
	Locution					
7) DEDEOD ATIONS/SCREENS						
7) PERFORATIONS/SCREENS						
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/					
Screen Liner Dia From To width length slots	Pipe size					
		_	on(s) who assisted wit	h construction ar	nd Trainee Lice	nse # / Helper
		As	ssistant Name	Ty	ype	#
						-
(8) WELL TESTS: Minimum testing time is 1 hour						
Yield Drill Stem/ Duration		Comments	s/Remarks	-		•
Type of Test (gal/min) Drawdown Pump Depth (hr)			s Maas Midwest 14-i	nch Pitless Unit v	with 14x12 redu	icer.
]	I	emporary casing was i			
	- I		5 to 445 and all was r			
	<u> </u>					

MULT 143925

10/14/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.58448000 Datum: WGS84

Longitude: -122.57538000

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM1.00N2.00E9NWSW

Address of Well:


8215 NE AIRPORT WAY FRONTAGE RD PORTLAND, OR 97220

Well Label: 136258

Printed: October 14, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



MULT 143925

10/14/2025

Map of Hole

INJECTION WELL IW-04 PRELIMINARY AS-BUILT

