WELL I.D. LABEL# L $_{151227}$ STATE OF OREGON MULT 143927 START CARD# 1073363 WATER SUPPLY WELL REPORT 10/14/2025 ORIGINAL LOG# (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) (1) LAND OWNER Owner Well I.D. IW-03 First Name Last Name (9) LOCATION OF WELL (legal description) Company PORT OF PORTLAND County MULTNOMAH Twp 1.00 N N/S Range 2.00 E E/W WM Address 7200 N.E. AIRPORT WAY NW 1/4 of the SW 1/4 Tax Lot <u>00801</u> City PORTLAND State OR Zip 97218 Tax Map Number New Well Deepening (2) TYPE OF WORK or 45.58380000 Alteration (complete 2a & 10) Abandonment(complete 5a) " or -122.57596000 DMS or DD (2a) PRE-ALTERATION Street address of well Nearest address Stl Plstc Wld Thrd Gauge 8215 NE AIRPORT WAY FRONTAGE RD PORTLAND, OR 97220 Material From To Amt sacks/lbs Seal: (10) STATIC WATER LEVEL (3) DRILL METHOD SWL(psi) SWL(ft) Rotary Air Rotary Mud Cable Auger Existing Well / Pre-Alteration Reverse Rotary X Other DUAL ROTARY FRC Completed Well 10/14/2025 Flowing Artesian? (4) PROPOSED USE Domestic Dry Hole? Irrigation Livestock X Industrial/ Commercial Dewatering WATER BEARING ZONES Depth water was first found 10.00 X Thermal Injection Other SWL Date Est Flow SWL(psi) + SWL(ft) From To (5) BORE HOLE CONSTRUCTION Special Standard (Attach copy 12/12/2024 10 7.78 Depth of Completed Well 440.00 12/12/2024 355 440 750 7.02 **BORE HOLE SEAL** sacks Dia From To Material From To Amt lbs 335 20 0 155 376 S Calculated 268 16 155 370 12.75 370 (11) WELL LOG Calculated Ground Elevation Seal placement method: A B C D E Other: From To Material Backfill placed from 440 ft. to 458 ft. Material 8X16 SAND See Attached As Built with Formation Log 458 Filter pack from 335 ft. to 440 ft. Material SAND Size 8x16 Explosives used: Type Seal Placement Begin Date 7/15/2024 Begin Time | 12 (5a) ABANDONMENT USING UNHYDRATED BENTONITE Actual Amount Proposed Amount (6) CASING/LINER Mat Shoe Type Wld Thrd Shoe Location Dia From Gauge To C 14 3.5 0.500 STС × 12.75 360 0.375 ST3.5 L 8.63 347 350 0.312 ST× From+ X 2 Temp casing X Yes Dia 20 (7) PERFORATIONS/SCREENS Perforations Method Construction Screens Type V-Wire Wrap Material 304 SS End Date 9/29/2025 Begin Date Begin Time 07 5/16/2024 Perf/ Casing/ Screen Slot # of Tele/ Scrn/slot (unbonded) Water Well Constructor Certification Pipe size Screen Liner Dia From To width length I certify that the work I performed on the construction, deepening, alteration, or Pipe Size Screen Liner 8.63 355 .055 350 abandonment of this well is in compliance with Oregon water supply well Screen Liner 8.63 355 360 Pipe Size construction standards. Materials used and information reported above are true to .055 Screen Liner 8.63 360 435 Pipe Size the best of my knowledge and belief. Screen Liner 8.63 435 440 Pipe Size License Number 2040 (8) WELL TESTS: Minimum testing time is 1 hour DAVID SANDY (E-filed) Drill Stem/ Duration Yield Drawdown Pump Depth (hr) (bonded) Water Well Constructor Certification Type of Test (gal/min) 100 Pump 513 I accept responsibility for the construction, deepening, alteration, or abandonment

ORIGINAL - WATER RESOURCES DEPARTMENT

°F Lab analysis X Yes By GSI Water Solutions

Yes (describe below) TDS amount 71

Water quality concerns?

mg/L

License Number 1523

Signed ROBERT STADELI (E-filed)
Drilling Company: Holt Services Inc

work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

Date 10/14/2025

WELL I.D. LABEL# L 1512 START CARD # 1073 ORIGINAL LOG #

L	151227	
#	1073363	·
#		

ontinuation page	10/14/2025	5	ORIGINAL LOG #		
a) PRE-ALTERATION	Water	r Quality Co			
Dia + From To Gauge Stl Plstc Wld Thrd	From	То	Description	Amount	Units
Material From To Amt sacks/lbs					
	$\overline{(10) \text{ S}'}$	TATIC WA	ATER LEVEL		
	— SWL			SWL(psi) +	SWL(ft
BORE HOLE CONSTRUCTION					
BORE HOLE SEAL	sacks/			 -	
Dia From To Material From To An	nt lbs			——— H	
Calculated					
Calculated					
Carculated					
Calculated					
	(11) W	ELL LOG	1		
Calculated	(11) W	ELL LUG	Material	From	Т
FILTER PACK From To Material Size			Waterial	From	1
From To Material Size					
CASING/LINER				-	
Mat.	Shoe				
L Dia + From To Gauge Type Wld Thrd Shoe	Location				
DEDEOD ATIONS/SCREENS					
PERFORATIONS/SCREENS					
erf/ Casing/ Screen Scrn/slot Slot # of	Tele/				
creen Liner Dia From To width length slots	Pipe size				
	Name of	f person(s) wh	o assisted with construction and	Trainee License	# / Help
	 	Assistant l			#
	└──				
NAME A DESCRIPTION OF THE PARTY					
8) WELL TESTS: Minimum testing time is 1 hour			1		
Yield Drill Stem/ Duration Type of Test (gal/min) Drawdown Pump Depth (hr)		nents/Rem			
Type of Test (gal/min) Drawdown Pump Depth (hr)			Midwest 14-inch Pitless Unit with		
			y casing was installed: 16-inch from all was removed during well		nu 12./3
		0111 200 10 420	and an was removed during wen	1 CONSTITUTION	

MULT 143927

10/14/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.58380000 Datum: WGS84

Longitude: -122.57596000

Township/Range/Section/Quarter-Quarter Section:

This map is supplemental to the WATER SUPPLY WELL REPORT

WM1.00N2.00E9NWSW

Address of Well:

8215 NE AIRPORT WAY FRONTAGE RD PORTLAND, OR 97220

Well Label: 151227

Printed: October 14, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor



MULT 143927

10/14/2025

Map of Hole

INJECTION WELL IW-03 PRELIMINARY AS-BUILT

