NICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the STATE OF OREGON TATE ENGINEER, SALEM, OREGON 9310, 713 30 1268 (Please type or print) within 30 days from the date (Do not write above this line) within 30 days from the date State Fermit No. of well completion. JINEER SALEM. ORLEON (11) LOCATION OF WELL: (1) OWNER: A. C. Jacobson Jr. County Multnoman Driller's well number Box 119-A Rt 1 04 T. 2N Portland, Oregon 1/4 Section and distance from section or subdivision corner Bearing (2) TYPE OF WORK (check): New Well K Deepening [] Reconditioning [Abandon □ If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): Diameter of well below casing 8 inch (12) WELL LOG: Rotary 🛣 Driven □ Domestic [Industrial [Municipal [75 ft. Depth of completed well Jetted | Cable Depth drilled Irrigation Test Well Other Dug Bored | Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, CASING INSTALLED: Threaded [Welded,] with at least one entry for each change of formation. Report each change 0 ft. to 75 ft. Gage 2 Wall in position of Static Water Level as drilling proceeds. Note drilling rates. MATERIAL SWL ..." Diam. from ft. to ft. Gage 3 Top soil 0 3 20 Brown clay **PERFORATIONS:** Perforated?
Yes No. 20 Yellow clay 50 Type of perforator used 50 60 Brown clay Size of perforations in, by 60 75 Sand and gravel perforations from ft. to perforations from _____ ft. to ____ ft. perforations from ft. to ft. perforations from ft. to ft.perforations fromtt. to (7) SCREENS: Well screen installed? | Yes Manufacturer's Name ... Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. (8) WATER LEVEL: Completed well. 10 ft. below land surface Date 4-24-68 tic level sian pressure lbs. per square inch Date (9

) WELL TESTS: Drawdown is amount water level is lowered below static level					
s a pump test made? 🗌 Yes 🎩 No If yes, by whom?		Þ		<u></u>	
gal./min. with ft. drawdown after hrs. Work started 4-24	4-68 ¹	19 Complet	ed 4	24-68	19
" Date well drilling machi	ine moved	d off of well 4	-24-6	8	19

Bailer test 300 gal./min. with 30 ft. drawdown after 1 hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made?
Was a chemical analysis made?
Yes No

(10) CONSTRUCTION:

(10) CONSTRUCTION:
Well seal—Material used Bentonite
Depth of seal 25 feet ft
Diameter of well bore to bottom of sealin.
Were any loose strata cemented off? Yes 1 No Depth

Gravel placed from ft. to ft.

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

Drilling Machine Operator's License No. 254

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Ralph Turner Drilling Co.
(Person, firm or corporation) (Type or print)

Address Rte. 1 Box 141 Hillsboro, Oregon

[Signed] (Water Well Contractor)

Contractor's License No. 247 Date 4-25 19.6