NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

MUL TWATER WELL REPORTE CEIVED

STATE OF OREGON NOV 1 4 1974 State Well No.

STATE ENGINEER, SALEM, OREGON (10) 1614 within 30 days from the date of well completion.

(Please type or print)

(1) OWNER:	(10) LOCATION OF WELL.		
Name John G. Gearin	(10) LOCATION OF WELL: County Multnomah Driller's well number		
Address 1203 Georgia Pacific Bldg.			
Portland, Oregon	½ ½ Section 7 T. 2 N R.	1 W. W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision of	orner	
New Well	→ 3. 1 ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±		
If abandonment, describe material and procedure in Item 12.	print the second		
	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 102 ft.		
Rotary Driven Domestic M Industrial Municipal Domestic M Industrial Municipal Domestic M Industrial Domestic M Industrial Domestic M Industrial Domestic Dom	Static level 47 ft, below land surfa	ce. Date 11/8/74	
Dug □ Bored □ Irrigation □ Test Well □ Other □	Artesian pressurelbs. per square in	* :	
(a) CASING INSTALLED: Threaded □ Welded ■ 8-5/8" Diam. from plus 1 ft. to 121 ft. Gage 250 ft. Gage 7 Diam. from ft. to ft. Gage	(12) WELL LOG: Diameter of well below casing Depth drilled 121 ft. Depth of completed well 121 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated.		
(v) PERFORATIONS: Perforated? A Yes No.	with at least one entry for each change of formation. position of Static Water Level and indicate principal	Report each change in	
Type of perforator used Mills Knife	MATERIAL Fr	om To SWL	
Size of perforation 1/8 in. by 2 in.	Top soil	0 2	
78 perforations from 106 ft. to 119 ft.	Soft light brown sandy clay	2 12	
perforations from ft. to ft.	Fine brown muddy sand	12 102	
perforations fromft. toft.	Coarse sand, fine to medium		
	1	02 121 55 gp	
(7) SCREENS: Well screen installed? ☐ Yes 💆 No			
Manufacturer's Name	The first was all the second of the second o		
Type Model No.			
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.			
Diani. Slot size Set from		· / ·	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Tyes X No If yes, by whom?			
d: gal./min. with ft. drawdown after hrs.			
" " " " " " " " " " " " " " " " " " " "	X 2 4 4 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
n n n n n n n n n n n n n n n n n n n	The second secon	-	
Bailer test 55 gal./min. with 3 ft. drawdown after 2 hrs.	A		
rtesian flow g.p.m.			
mperature of water Depth artesian flow encounteredft.	Work started 10/24/74 19 Completed 1	1/8/74 19	
(9) CONSTRUCTION:	7	1/8/74 19	
Well seal—Material used Bentonite	Drilling Machine Operator's Certification:		
Well sealed from land surface toft. Diameter of well bore to bottom of sealfin.	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.		
Diameter of well bore below seal8 in.	[Signed] Muuce Date 11/12/74 ₁₉		
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	751	
Number of sacks of bentonite used in well seal	Carried and a second a second and a second and a second and a second and a second a		
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:		
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? La Yes No Plugs Size: location ft.	Name A. M. JANNSEN DRILLING CO		
Did any strata contain unusable water? 🔲 Yes 🛣 No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address *** 21075 S.W. Tualatin Valley Hwy.		
Method of sealing strata off	[Signed] Alohal Worken 97005		
Was well gravel packed? [Yes No Size of gravel:	(Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No. 79 Date 11/1	2/74 19	