

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the

# RECEIVED WATER WELL REPORT

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

MAR 13 1979 STATE OF OREGON

(Please type or print)

WATER RESOURCES DEPT.  
SALEM, OREGON

MULT State Well No. 2N/1W-14  
001644 State Permit No. \_\_\_\_\_

**(1) OWNER:**

Name Pacific Coast Nursery, Inc.  
Address Rt. 1, Box 320, Portland, Oregon 97231

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**(5) CASING INSTALLED:**

Threaded  Welded   
12" Diam. from +1 ft. to 190 ft. Gage .312  
10" Diam. from 175 ft. to 220 ft. Gage .312  
10" Diam. from 250 ft. to 258 ft. Gage .312

**(6) PERFORATIONS:**

Perforated?  Yes  No.

Type of perforator used \_\_\_\_\_

Size of perforations in. by in.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(7) SCREENS:**

Well screen installed?  Yes  No

Manufacturer's Name Johnson Stainless Steel  
Type .080 slot Model No. WM304  
Diam. 10 Slot size .080 Set from 220 ft. to 250 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom? Steinman  
Yield: 1,040 gal./min. with 3.5 ft. drawdown after 6 hrs.  
" 820 " " 2.5 " " 7 "  
" 740 " " 1.5 " " 7 1/2 "  
Bailer test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m.

temperature of water 55 Depth artesian flow encountered \_\_\_\_\_ ft.

**(9) CONSTRUCTION:**

Well seal—Material used Cement  
Well sealed from land surface to \_\_\_\_\_ ft.  
Diameter of well bore to bottom of seal 21 ft.  
Diameter of well bore below seal 16 in.  
Diameter of well bore below seal 12 in.  
Number of sacks of cement used in well seal 35 sacks  
How was cement grout placed? Pumped through a one in. pipe between 16" and 12" pipes.

Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
Did any strata contain unusable water?  Yes  No

Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_

Method of sealing strata off \_\_\_\_\_

Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_

Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

**(10) LOCATION OF WELL:**

County Multnomah Driller's well number 4-79  
1/4 1/4 Section 14 T. 2N R. 1W W.M.  
Bearing and distance from section or subdivision corner  
See attached sheet

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 206 ft.  
Static level 16 1/2 ft. below land surface. Date 3-6-79  
Artesian pressure lbs. per square inch. Date \_\_\_\_\_

**(12) WELL LOG:**

Diameter of well below casing 0

Depth drilled 262 ft. Depth of completed well 257 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Sand, dark brown	0	16	
Siltstone, grey & brown	16	41	
Silt, grey	41	97	
Sandstone, grey	97	149	
Sand, grey, slightly loose	149	174	
Silt, dark grey	174	189	
Boulder	189	200	
Conglomerate	200	206	
Gravel & sand, loose	206	227	19
Cobbles, gravel & sand-loose	227	241	19
Gravel & sand, loose	241	257	19

Work started 1-2- 1979 Completed 3-6- 1979

Date well drilling machine moved off of well March 7, 1979

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Glenn D. Rydman Date 3-8, 1979  
(Drilling Machine Operator) Glenn D. Rydman

Drilling Machine Operator's License No. 54

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Steinman Bros. Drilling Co.  
(Person, firm or corporation) (Type or print)

Address 3023 S. E. Holly Avenue, Milw., Ore.

[Signed] Ronald F. McConnell

Ronald F. McConnell (Water Well Contractor)

Contractor's License No. 626 Date March 8, 1979

AMENDED EXHIBIT "A"

A tract of land located in Section 14, Township 2 North, Range 1 West of the Willamette Meridian, in the County of Multnomah and State of Oregon, described as follows:

BEGINNING at the intersection of the centerline of Gillihan Road (County Road No. 1159) and the North line of the Martin Gillihan Donation Land Claim in said Section 14; thence South  $89^{\circ}29'10''$  East along the said North line of the Gillihan Donation Land Claim and the extension thereof, 2158.60 feet to a point which is 239.55 feet Easterly of the Northeast corner of said Gillihan Donation Land Claim; thence South  $3^{\circ}00'$  West 3369.6 feet to a point; thence South  $69^{\circ}00'$  West 1721.20 feet to a point in the center of said Gillihan Road; thence following the center of said Gillihan Road, the following courses: North  $17^{\circ}04'15''$  West 592.26 feet; thence North  $13^{\circ}21'15''$  West 845.50 feet; thence North  $0^{\circ}03'15''$  West 1612.00 feet; thence North  $0^{\circ}11'30''$  West 996.30 feet; thence leaving said centerline North  $17^{\circ}50'10''$  West 4.24 feet to the point of beginning.

TOGETHER WITH an easement over a strip of land located in Section 14, Township 2 North, Range 1 West of the Willamette Meridian, in the County of Multnomah and State of Oregon, described as follows:

BEGINNING at a 1 inch iron pipe which bears South  $89^{\circ}29'10''$  East 239.55 feet and South  $3^{\circ}$  West 3169.60 feet from the Northeast corner of the Martin Gillihan Donation Land Claim; thence along the Easterly-Northerly line of said tract of land as described in Deed to Bernice S. Hall, recorded June 13, 1973, in Book 932, Page 1, South  $38^{\circ}18'$  East 668.60 feet; thence South  $52^{\circ}57'35''$  East 206.00 feet to the Easterly-Northeast corner of said Hall Tract at the low water line on the Left Bank of the Willamette River; thence South  $28^{\circ}$  West, along said low water line 20.25 feet to a point; thence North  $52^{\circ}57'35''$  West 211.75 feet to an iron rod; thence North  $38^{\circ}18'$  West 648.41 feet to an iron rod; thence North  $3^{\circ}$  East 30.30 feet to the point of beginning.

**RECEIVED**

MAR 13 1979

WATER RESOURCES DEPT.  
SALEM, OREGON