NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT GEIVED

STATE OF OREGON MAY 3 1 1974 State Well No. (Please type or print)

da

(Do not write above this line) TATE ENGINEER tate Permit No. SALEM, OREGON

· · · · · · · · · · · · · · · · · · ·		_
(1) OWNER:	(10) LOCATION OF WELL:	
Name Pacific Coast Nursery	County Mult, Driller's well number 31-74	-
Address AT/ Box 320	NE 1/4 SE 1/4 Section /7 T. 2 N R. / W W.M.	<u>.</u>
Porthand Ove 97231	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):		
New Well Deepening Reconditioning Abandon		-
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 67 ft	<u>;.</u>
Rotary Driven Domestic X Industrial Municipal	Static level 2 ft. below land surface. Date 5/24/74	l'
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing	<u>.</u> ;
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata	r
Type of perforator used	MATERIAL From To SWL	
Size of perforations in. by in.	Sand Brown 0 67	
perforations from ft. to ft.	P = 100 Pro vol 5 15 79 9/	
perforations from	Sanda gravel - 67 72 3/	-
perforations fromft. toft.		-
(7) SCREENS: Well screen installed? Yes No		
Manufacturer's Name		_
Type Model No		
Diam. Slot size Set from ft. to ft.		_
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		-
Was a pump test made? Yes 🗆 No If yes, by whom?	ork	
Yield: 350 gal./min. with 7 ft. drawdown after 4/ hrs.		_
a 300 " 4 " 6 "		_
175 " 3 " 8 "		
Bailer test gal./min. with ft. drawdown after hrs.		-
Artesian flow g.p.m.	· · · · · · · · · · · · · · · · · · ·	-
perature of water 5 4 Depth artesian flow encountered ft.	Work started 5/14/ 19 74/Completed 5/24/ 1975	- U
	Date well drilling machine moved off of well 5/5 P 1974	t. L
(9) CONSTRUCTION:	3/00	I
Well seal-Material used Benlonife	Drilling Machine Operator's Certification: This well was constructed under my direct supervision	١.
Well sealed from land surface toft.	Materials used and information reported above are true to my	y
Diameter of well bore to bottom of sealin,	best knowledge and belief	-/
Diameter of well bore below sealin. Number of sacks of cement used in well sealsacks	[Signed]	7
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No	
Brand name of bentonite Bentonile NationaL	Water Wall Contractor's Contification	-
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	~
of waterlbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	5
Was a drive shoe used? Yes No Plugs Size: location ft.	Name STEIN MON STOS (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water?		
Type of water? depth of strata	Address D + A man	-
Method of sealing strata off	[Signed] Molein T. M. Cornell	, p
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)	;
Gravel placed from ft. to ft.	Contractor's License No Date	У.