	ORIGINAL File Original, and Duplicate with the STATE ENGINEER, SALEM, OREGON STATE OF OR	REGON FILLIN MILL T
	i / i to be to be a second	E State Fermid No.
	(1) OWNER:	(10) WELL TESTS: \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	- Mayrair Moorage	Was a pump test made? Æ Yes □ No If yes, by whom? Owner
	Address Sauvies Island Portland Ore.	Yield: 15 gal./min. with 75 ft. draw down after 3 hrs.
	forctand Ore.	" "
	(2) LOCATION OF WELL:	n n n
	CountyMultnomah Owner's number, if any-	Artesian flow
	R. F. D. or Street No.	Shut-in pressure
	Bearing and distance from section or subdivision corner	Bailer test g.p.m. with ft. drawdown
1	App. 115' E. of subdivision corner of	Temperature of water 2/2 ° Was a chemical analysis made? 2 Yes \( \square\) No
V	Burlington Ferry Rd. and river bank.	Was electric log made of well? ☐ Yes ☐No
Λ	The same of the sa	(11) WELL LOG:
, ,	(2) TYPE OF WORK (start).	Diameter of well,
	(3) TYPE OF WORK (check):  New well   □ Deepening □ Reconditioning □ Abandon □	Total depth 185 ft. Depth of completed well 185 ft.
	New well Deepening Reconditioning Abandon Deandonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each structum, penetrated with at least one attraction.
7		show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
	(4) PROPOSED USE (check): (5) EQUIPMENT:	ft. toft.
	Domestic Industrial Municipal Rotary	_0 " 10 " Clay
	Irrigation ☐ Test Well ☐ Other ☐ Cable ☐ Dug Well ☐	10 " 180 " Sand
<u></u>	(1) CACTOVO TOVOMANO	180 " 185 " Gravel, Water
7	Threaded Welded U	" "
	Gage	" "
	FROM ft. to ft. Diam. Wall of Bore ft. ft.	"
	" 0 " 182" "6" STD" " "	22
	n n n n	n n
	27 27 27 27 27 27	n n
	11 11 11 11 11	" "
	n n n n n n	n n
	Type and size of shoe or well ring   Size of gravel:	11 1)
	Describe joint threaded, coupled	n n
	(7) PERFORATIONS:	19 19
	Type of perforator used	"
	SIZE of perforations in., length, by in.	11 17
	FROM ft. to ft. perf per foot No. of rows	" "
4		"
	n n n n n n n n n	"
	11 11 11 11 11 11 11 11 11	27
		" "
	SCREENS: Give Manufacturer's Name, Model No. and Size	" "
d	Total pare	" "
	(8) CONSTRUCTION:	" "
	Was a surface sanitary seal provided?  Yes No To what depth ft.	22 22
	If yes, note depth of strata	Work started 10 Completed
	FROM ft. to ft.	9/2 55 completed 0/19 19 EE
	11 11	Well Driller's Statement:  This well was drilled under my jurisdiction and this report is
:	METHOD OF SEALING Pipe drove hard all the way	true to the best of my knowledge and belief.
٠	(9) WATER LEVELS:	NAME DADDON & GMDANDO
	Depth at which water was first found 182 ft.	NAME: PARRON & STRAYER (Person, firm, or corporation) (Typed or printed)
•	Standing level before perforating ft.	Addwara
•	Standing level after perforating ft.	Driller's well number
	Log Accepted by:	1 St
	7.01	[Signed] (Well Driller)
1	Signed], 19, Owner	License No. 76
	·	Dated