NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

MULT 001730

State Well/No. 21/11w-27

State Permit No.

(1) OWNER: Name ASH GROVE LIME AND PORTLAND	CENENT	(11) WELL	TESTS:	Drawdown is amount lowered below static No If yes, by wh	11	is
Address PORTLAND, DRE		Yield: 560	gal./min. wit	h 9 ft. drawdo	wn after	fhrs.
		**	***	,,		
(2) LOCATION OF WELL:	7-		. 1 /	7/7. #4 33		
County // Driller's well number, 4	49	Bailer test Artesian flow	gal./min. w	ith ft. drawd	own arter	hrs.
14 1/4 Section 27 T. 2N R. /	W, W.M.	Temperature of	water Ch Wa	s a chemical analysis	made? [] V	es No
Bearing and distance from section or subdivision corner			Water Of Wa	o a critical arranger		
		(12) WELL	LOG: Di	ameter of well below	casing	
	 .	Depth drilled		Depth of completed		/ <u>ft.</u>
		Formation: Desc show thickness of stratum penetral	ribe by color, clor of aquifers and t ted, with at lea	naracter, size of mate the kind and nature of st one entry for each	rial and struct of the materic change of f	iture, and il in each formation.
			MATERIA	L	FROM	TO
(3) TYPE OF WORK (check):		.SÄ-N	ノク		0	5
	Abandon 🗌	BL	JE Ch	44	5	12
abandonment, describe material and procedure in Item 12.		SAR	10 AND	SILT	12	47
(1) PROPOSED VICE (1 1)	DESCRIPTION AND ADDRESS OF TAXABLE PARTY.	CLA	Y AND	514	47	63
(4) PROPOSED USE (check): (5) TYPE OI	r vv ELL: Driven □	PAC	KED 5	AND	63	125
Cable Z J	Tetted □	SAN	D SMALL	AMOUNT OF GO	11/2 /25	186
Irrigation	Bored 🗌	- ZAC	/	AN	181	190
(6) CASING INSTALLED: Threaded □ Welded	1 'M'	(EM	BNTED		190	194
	330	WATE	ER BEARI	NG SAND AND	10.1	200
"Diam, fromft. toft. Gage			CHRAUEL	- Adh Class	774	200
ft. Gage	***************	2/1	C) (NYAVE	a AND CLAT	100	<u>~ ~ / /</u>
				<u>, , , , , , , , , , , , , , , , , , , </u>		
(7) PERFORATIONS: Perforated? Yes	□ No					
Type of perforator used STAR						
Size of perforations 3/8 in. by // in. 480 perforations from ft. to 2	06 4					
perforations fromft. to	tt.					
perforations from ft. to						
perforations from ft. to						<u> </u>
perforations from ft. to						
(0) (0)	1.			2		
(8) SCREENS: Well screen installed ☐ Yes	X No					
Manufacturer's Name Model No.						
Slot size Set from ft. to		Work started	4/20 1	Completed	5/10	1923
Diam. Slot size Set from ft, to	Date well drilling	// 30	34.5	1-/10	1963	
					2//8	
(9) CONSTRUCTION:	2 A	(13) PUMI	r:			
Well seal—Material used in seal CEMENT (TROUT		i				
Depth of sealft. Was a packer used?		Type:	.,	***************************************	, H.P	
Diameter of well bore to bottom of sealin,		Water Well C	ontractor's Ce	rtification:		
Were any loose strata cemented off? ☐ Yes ☐ No Depth Was a drive shoe used? Yes ☐ No				nder my jurisdictio	n and this	report is
Was well gravel packed? ☐ Yes No Size of gravel:	•			ledge and belief.		
Gravel placed fromft. toft.		Town The	STRASS	FR DOIL	INA ((1
Did any strata contain unusable water? Yes No		NAME	(Person, firm o	or cornoration)	(Tune or mri	nt)
Type of water? Depth of strata		Address 8//	OSE	SUNSET LA	NE FOR	T 6,0)
Method of sealing strata off						•
		Drilling Mach	ine Operator's	s License No		
(10) WATER LEVELS:	-lolan	[Signed]	about L	Massen)	
Static level ft. below land surface Date 2	110/63			(Water Well Contracto	PAYI	5.4.3
Artesian pressure Ibs. per square inch Date		Contractor's I	acense No	/つ Date /	/ PH / P	> 1465 7