NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER WELL REPORT WATER RESOURCES DEPARTMENT. CE SALEM, OREGON 97310
within 30 days from the date
of well completion E PATE OF OREGON
(Please type or print)

MAY 15 1979(Do not write above this line) of well completion.



State Permit No.

BP*45656-1/8

(1) OWNER: WATER RESOURCES DEPT.	101951			
SALEM, OREGON	(10) LOCATION OF WELL:			
Name Profes Dros. Inc.	County MulTnomah ag Driller's well number			
Partland Orean 97203	SW. 14 AW, 14 Section 31 T. 2 N R. W.M.			
(2) TYPE OF WORK (check).	Bearing and distance from section or subdivision corner			
No. 11 Per la constant de la constan				
New Weil ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐				
	(11) WATER LEVEL: Completed well.			
(check):	Depth at which water was first found 49 ft.			
Cable	Static level 25 ft. below land surface. Date 4-25-			
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date			
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Dispersion of any ball of			
by Diam from 0, it to 62 it Gage 250	Diameter of well below casing			
5 114 Diam from 54 ft to 110 ft Gage 188	Depth drilled //O ft. Depth of completed well //O ft.			
" Diam. fromft_ toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			
PERFORATIONS: Perforated? Tes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.			
Type of perforator used Torch				
Size of perforations // in. by 6 in	MATERIAL From To SWL			
40 perforations from 70 ft. to 110 ft.	Medium Brown Rock 6 37			
perforations fromft. toft.	Broken Rock 37 110			
perforations fromft. toft	7,000			
(7) SCREENS: Well screen installed. I Van				
(1) SCREENS: Well screen installed? Well screen installed? West Honor				
Type Model No.				
Diam. Slot size Set fromft. toft.				
Diam. Slot size Set fromft. toft.				
(8) WELL TESTS: Drawdown is amount water level is				
lowered below static level Was a pump test made? Yes No If yes, by whom?				
Yield:				
rield: gal./min. with ft. drawdown after bra.				
"				
Haller test 40 gal./min. with 6,5 ft. drawdown after / hrs.				
Artesian flow s.p.m.				
Profitre of water Park -				
The state of the s	Work started 4-24 1979 Completed 4-25 1979			
(9) CONSTRUCTION:	Date well drilling machine moved off of well 4-25 1979			
Well seal-Material used <u>Cement</u>	Drilling Machine Operator's Certification:			
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my			
Diameter of well bore below seal	best knowledge and benef.			
Number of sacks of coment used in well and	[Signed] Late Date 5-7, 1979			
How was cement grout placed? Pressure grout	Drilling Machine Operator's License No. 1217			
	Water Well Contractor's Certification:			
Was a drive shoe used? Yes Two Plugs Size: location ft.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Did any strata contain unusable water? Tyes Tho	Name lurner Iriling Co. Inc.			
Type of water? depth of strata	Address At Box 522 Portland Ore			
Method of sealing strata off	Day To			
Was well gravel packed? [] Yes [] Dio Size of gravel:	[Signed] Wow Feature 97231			
Gravel placed fromft. toft.	(Water Well Contractor) Contractor's License No. 715			
(USE ADDITIONAL SE	Contractor's License No. 7/5 Date 5-9, 19.79			
, (COL ADDITIONAL SH	EETS IF NECESSARY)			

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER WELL REPORT
ELVE PATE OF OREGON

WATER RESOURCES DEPARTIENT.
SALEM, OREGON 97310
within 30 days from the date

MAY 15 1979(Do not write above this line

State, Well No. ZN/W-34

of well completion. WAT 15 19/9(Do not write al	bove this line)			nn	Q.O
(1) OWNER: WATER RESOURCES DEPT.	(10) LOCATION OF	TENTENT T .		/ WANTE	
// DALEM. OKEGON	(10) LOCATION OF				
Name Angel Dros. Inc.	County MulTnomah	Driller's well nur	nber	\rightarrow	
Address P. W. Box 03449 Portland Oregon 97203	¼ Section	134 I 2N	R. / /	<u> </u>	W.M
	Bearing and distance from	section or subdivision	n corne	r	
(2) TYPE OF WORK (check)!		1			
New Well Deepening □ Reconditioning □ Abandon □					
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL	: Completed we	11.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was f		19	•	fi
Rotary Driven D Domestic Industrial Municipal D	Static level 25			Data 4	1-75
Cable		ft. below land su	*************		
and the state of t	Artesian pressure	lbs. per square	inch.	Date	
CASING INSTALLED: Threaded Welded D	(12) WELL LOG:		_		6
6, " Diam. from 0, ft. to 62 ft. Gage 250	1	Diameter of well be			K.Z
5 16" Diam. from 54 ft. to 110 ft. Gage 188		ft. Depth of complet		<u> </u>) ft
" Diam. fromft. toft. Gage	Formation: Describe color, and show thickness and nat	texture, grain size ar ture of each stratum	id struct	ture of n	naterials
PERFORA MILONG	with at least one entry for ea	ach change of formation	on, Repo	ort each	change i
PERFORATIONS: Perforated? Ves 🗆 No.	position of Static Water Lev	el and indicate princ	ipal wat	er-bearin	ng strata
Type of perforator used /orch	MATERIAL		From	То	swl
Size of perforations //8 in. by in.	Soft Brown K	ock.	0	6	
	Medium Brown	n Rock	6	37	
perforations from ft. to ft.	Broken Rock		37	110	
perforations from ft. to ft.					
(7) SCREENS: Well screen installed? Yes PNO					
					
Manufacturer's Name Model No					
Diam. Slot size Set from ft. to ft.					
Diam. Slot size Set from ft. to ft.	<u> </u>	- T-			-
		- Mc			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level					
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		-	+		
Viold:					
ried: gai./min. with ft. drawdown after hrs.	5 - 77 - 3				
and "		-			
Bailer test 40 gal./min. with 65 ft. drawdown after / hrs.					
Artesian flow g.p.m.	-331.				
erature of water Depth artesian flow encountered ft.	Work started 4-24	1979Completed	4.	-25	197
(9) CONSTRUCTION:	Date well drilling machine m	noved off of well	4	-25	197
					,,
	Drilling Machine Operato This well was constr		liroot	SIIDOD	iaian
Well sealed from land surface to	Materials used and infor	mation reported a	bove a	re true	to my
Diameter of well bore to bottom of sealin.	best knowledge and belief	· / ,	,	- a	٠,
Diameter of well bore below seal	[Signed] Drilling Mach	hine Operator)	ate 🔤	> - /	., 19.
How was cement grout placed? Dressure grout	Drilling Machine Operato			121	7
	-				
	Water Well Contractor's C	ertification:			
	This well was drilled	under my jurisdic	tion an	d this r	eport is
Was a drive shoe used? Yes Two Plugs Size: location ft.	true to the best of my kn	owledge and belie	f. ァ		-
Did any strata contain unusable water? Yes W	Name /// // Person, firm-or	rilling 0		17.6	
Type of water? depth of strata	Address R 1 BO	x 532	Por	t lanc	I Dr
Method of sealing strata off		1	YI	41(- <u>1</u> [55	500
	[Signed] Wow te	afun		*************	110
was well gravel packed? Yes No Size of gravel:	la company and a company of the comp	(Water Well Contrac	LOF)		

Contractor's License No. 7/5 Date