## of this report are to MAR 13 1969

MULT WATER WELL REPORT 002057

State Well No. 2N/B-6 da

state of oregon state of oregon within 30 days from the date of the completion. CALEM. OREGON OF THE CONTROL OF THE CONTROL OR STATE OF OREGON STATE OR STATE OF OREGON STATE OR STATE OF OREGON STATE OR STATE OR

State Permit No. ...

(1) OWNER:	(11) LOCATION OF WELL:	_	430	5C
Name CITY OF CASCADE LOCKS	County //ULT Driller's well nu	mber_	0=	<del></del> -
Address CASCADE LOCKS ORE.	NE 14 SE 14 Section 6 T. 2	C R.	0.2	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	corner		· · · · · · ·
New Well				*
If abandonment, describe material and procedure in Item 12.			- F	
Determ Cl. Dulyon Cl.	(12) WELL LOG: Diameter of well b		-1	***************************************
Cable  Jetted	Depth drilled //O ft. Depth of comple			ft.
Dug	Formation: Describe color, texture, grain size and show thickness and nature of each stratus	and struct	ture of m	aterials;
CASING INSTALLED: Threaded   Welded	with at least one entry for each change of form	ation. Re	port each	ı change
14" Diam. from 7 4 tt. to // 6 ft. Gage 375	in position of Static Water Level as drilling pro	ceeds. N	ote drilli	ng rates.
"Diam, fromft, Gage	MATERIAL	From	То	SWL
" Diam. from ft. to ft. Gage	TOP 301L	0	2	
PERFORATIONS: Perforated? Yes   No.	SAND, GRAVEL BOLLDER	5		
Type of perforator used STAR	AND SOME CLAY	2	28	
Size of perforations 3/8 in. by ///4 in.	SAND AND GRAVEL	28	67	
/206 perforations from 80 tt. to 103 tt.	WATER BEARING	//	106	
· · · · · · · · · · · · · · · · · · ·	GRAVEL	61		
perforations from ft. to ft ft ft ft.	CEMENTED GRAVEL	106	110	
perforations from ft. to ft.				
perforations from ft. to ft.				
		-		
(7) SCREENS: Well screen installed?   Yes No				
Manufacturer's Name	The state of the s	-1		
Type Model No.			A., -	
Diam. Slot size Set from the ft. to ft.	:	<u> </u>		
Diam. Slot size Set from ft. to ft.			-	
(8) WATER LEVEL: Completed well.		-		
Static level 6/ ft. below land surface Date 2/27/69				
ian pressure lbs. per square inch Date			~ .	
(9) WELL TESTS: Drawdown is amount water level is		- '-	* * * *	1
lowered below static lever				
was a pump test made: (a res   No 11 yes, by whom:	Work started FEB 8 1969 Complet	ed M	AR 4	1964
Yield: 1000 gal./min. with - 2-ft. drawdown after 24 hrs.	Date well drilling machine moved off of well	3 4	R 4	196-6
" " "	to the second se	_/-//	<del>~ 7</del>	/
n n n	Drilling Machine Operator's Certification: This well was constructed under my d	imant num	ominiaton	Mata.
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported above	ve are t	rue to	my best
Artesian flow g.p.m. Date	knowledge and belief	2 1	v 1	· .
Temperature of water 43 Was a chemical analysis made?   Yes XNo		Date !	JARI	4 19.69
	(Drilling Machine Operator)	4	57	
(10) CONSTRUCTION: SAND AND GROUT Well seal-Material used	Drilling Machine Operator's License No.			PERSON
$\gamma_{\alpha}$	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal 20 in.	This well was drilled under my jurisd	iction ar	nd this r	eport is
Diameter of well bore to bottom of seal	true to the best of my knowledge and beli	ef.	_	_
Was a drive shoe used? X Yes □ No	NAME RJ STRASSER	DRIL	110C	r (0
Did any strata contain unusable water?   Yes No	(Person, tirm or corporation)	(Typ	. D	
	Address 8/10 SE SUNSET	MAR	TOPT.	TIED C
Type of water? depth of strata	( Role NY Stan	-1212	~>	
Method of sealing strata off	[Signed] (Water Well Contra	ctor)		
Was well gravel packed? Yes No Size of gravel:		MAD	12	1069
Gravel placed from ft. to ft.	Contractor's License No Date		<del></del>	, I <i>Vl</i>