

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

MULT 002073 66991

WATER WELL REPORT

STATE OF OREGON

(Please type or print) JUN 26 1974

RECEIVED JUN 26 1974

State Well No. 3N1W-30

State Permit No.

(1) OWNER:

Name Fred J. Cholick
Address Rt. 1 Box 238
Portland, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven []
Cable [] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded [X]
12" Diam. from 0 ft. to 145 ft. Gage .250

(6) PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [X] Yes [] No If yes, by whom? Driller
Yield: 405 gal./min. with 8 ft. drawdown after 4 hrs.

(9) CONSTRUCTION:

Well seal—Material used Bentonite
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 16 in.
Diameter of well bore below seal 12 in.
Number of sacks of cement used in well seal
Number of sacks of bentonite used in well seal 7
Brand name of bentonite Wibur Ellis
Number of pounds of bentonite per 100 gallons of water
Was a drive shoe used? [X] Yes [] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Multnomah Driller's well number
Section 30 T. 3N R. 1W W.M.
Bearing and distance from section or subdivision corner
Sauvie Island Road

(11) WATER LEVEL: Completed well.

Depth at which water was first found 14 ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 147 ft. Depth of completed well 147 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include Topsoil, Sand clay-brown, Sand-brown, Sandy-clay-blue, Sand-blck-w/water & mikia, Gravel-course-w/sand.

Work started 4-30 1974 Completed 5-3 1974
Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Walter Mace Date 6-20, 1974
(Drilling Machine Operator)
Drilling Machine Operator's License No. 595

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name S & M Drilling & Supply, Inc.
(Person, firm or corporation) (Type or print)
Address 399 SE Walnut Street Canby, Oregon
[Signed] Walter Mace (Water Well Contractor)
Contractor's License No. 497 Date 6-20, 1974