

MULT  
002150

(1) OWNER:

Name RAYMOND E BECHTOLD  
Address Rt #1 Box 528  
Gresham Oregon

(2) LOCATION OF WELL:

County MULT. Owner's number, if any— G 896  
R. F. D. or Street No. Rt #1 Box 528 Gresham Ore.  
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 11.

PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

(5) EQUIPMENT:

Rotary   
Cable   
Dug Well

CASING INSTALLED:

FROM	ft. to	Diam.	Gage or Wall
	0	100 ft. 8"	5/16
"	"	"	"
"	"	"	"
"	"	"	"
"	"	"	"
"	"	"	"

If gravel packed

Diameter of Bore	from ft.	to ft.
"	"	"
"	"	"
"	"	"
"	"	"
"	"	"

Type and size of shoe or well ring G 34 Size of gravel:  
Describe joint

(7) PERFORATIONS:

Type of perforator used Mills Knife.  
SIZE of perforations 3 in., length by 5/16 in.  
FROM ft. to 82 ft. 95 perf per foot 5 No. of rows  
10" intervals, " " " " " " "

SCREENS:

Give Manufacturer's Name, Model No. and Size

(8) CONSTRUCTION:

Is a surface sanitary seal provided?  Yes  No To what depth below 35' ft.

Were any strata sealed against pollution?  Yes  No  
If yes, note depth of strata  
FROM ft. to ft.

METHOD OF SEALING

(9) WATER LEVELS:

Depth at which water was first found \_\_\_\_\_ ft.  
Standing level before perforating 60' ft.  
Standing level after perforating 60' ft.

Log Accepted by:

[Signed] Raymond E Bechtold Dated 10-13, 1958  
Other

WELL TESTS:

Was a pump test made?  Yes  No If yes, by whom?  
Yield: gal./min. with ft. draw down after hrs.  
" " " "  
" " " "  
Artesian flow \_\_\_\_\_ g.p.m.  
Shut-in pressure \_\_\_\_\_ lbs. per square inch.  
Bailer test 50 g.p.m. with 10 ft. drawdown  
Temperature of water Was a chemical analysis made?  Yes  No  
Was electric log made of well?  Yes  No

(11) WELL LOG:

Diameter of well, 8" inches.  
Total depth 100 ft. Depth of completed well 100 ft.  
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.  
0 ft. to 4 ft. Top soil  
4 " 18 " Cement & clay  
18 " 38 " Sandy clay & gravel  
45 " 52 " yellow clay  
52 " 85 " cemented gravel  
85 " 100 " Loose water bearing gravel

Ground elevation at well site 300 feet above mean sea level.  
Work started June 1958 Completed June 1958

Well Driller's Statement:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME A. O. Olsey Well Drilling  
(Person, firm, or corporation) (Typed or printed)  
Address Rt 1 Box 565 Gresham  
Driller's well number \_\_\_\_\_  
[Signed] A. O. Olsey  
(Well Driller)  
License No. 131 Dated Sept, 1958