DEPEIVED DEPE	IVED MIN TO INTERIO	
WATER WELL REPORT	00224 Ante Well No. 13,35 19	· -
	9 1983 State Permit No.	
	URCES DERT.	
	OREGON	
(1) OWNER: $+ (l, l) = 0$	(10) LOCATION OF WELL:	
Name Pleasaul Valley OCHOOL	County MU TMO Mall, Driller's well number 4 4 Section / G T. / S R. 3/F W.M.	·
Address 1625 SE FOSTEY Ad City AvgSh111 O State OYOG	Tax Lot # 74 Lot Bik Subdivision	
(2) TYPE OF WORK (check): 97030	Address at well location: 17625 SE Foster Ro	ł,
	- Greshelm, Oreq.	
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft. Static level ft. below land surface. Date August 9-	82
Rotary Air Driven Domestic Industrial Municipal	Static level 67 ft. below land surface. Date 77.06.17 Artesian pressure Ibs. per square inch. Date	
Mud Dug Inrigation Test Well Other Inrigation Mud Bored Inrigation Test Well Other Inrigation Mud Bored Inrigation Thermal: Withdrawal Reinjection Inrigation	(12) WELLLOG: Diameter of well below casing to bottor	м,
(5) CASING INSTALLED: Steel A Plastic $\alpha / 0''$ $0'' / 1/7$ Threaded Welded \mathcal{B} \mathcal{D}	Depth drilled 22 5 ft. Depth of completed well 23 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level	
	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL From To SWL	
X" Diam. from/ D. g. ft. to , 2	Acobal	
(6) PERFORATIONS: Perforated? Yes INO	Remont avravel, 200' 228'	
Type of perforator used Torch Cut Size of perforations U in. by 6 in.	_ cement grover, son 220	
Size of perforations 14 in by 6 in 18.8 ft to $2.2.8$ ft.		
4.50 perforations from		
perforations from ft. to	· · · · · · · · · · · · · · · · · · ·	
(7) SCREENS: Well screen installed? Ves X No		
Manufacturer's Name		
Type Model No. Diam. Slot Size ft. to		
Diam. Slot Size	lise she the	nan la Tananan
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
		. *
Yield: gal/min. with ft. drawdown after hrs.		<u> </u>
Air test gal./min. with drill stem at ft. hrs.		
Bailer test <u>30</u> gal./min. with <u>3</u> ft. drawdown after <u>2</u> hrs.		
Temperature of water 5'3 Depth artesian flow encountered ft.	Work started A 19 9 1983 Completed A UG 19 1983	3
(9) CONSTRUCTION: Special standards: Yes D No	Date well drilling machine moved off of well AUG 1982	5
Well seal-Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface tof. p. p. p. p. N. M. T ft.	. This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.	
Diameter of well bore to bottom of sealin. in.	[Signed] (4, (2), (2) SPM Date H U92 51983)
Number of sacks of cement used in well seal	(Dritting Machine Operator) Drilling Machine Operator's License No	
How was cement grout placed?		
line shafti	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to	
Was pump installed?	the best of my knowledge and belief.	
Was a drive shoe used? 🖞 Yes 🗆 No 👘 Plugs	Name (۰.
Did any strata contain unusable water? Yes No	Address 3.5.8.3.8. S.E. W. I. Ged M.T. Dr.	.=
Type of Water? depth of strata Method of sealing strata off	[Signed] (
	SContractor's License No. 2. 8. 1. Date	5
Gravel placed fromf		
NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the	WATER RESOURCES DEPARTMENT, SP*12658-690 SALEM, ORECON 97310 within 30 days from the date of well completion.	· -, ,