WAIRE WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

Was well gravel packed? [Yes [No Size of gravel: ...

Gravel placed from _____ ft. to ____

Type of water?

Method of sealing strata off

WATER WELL REPORT

STATE OF OREGON

of well completion.

depth of strata

(Please type or print) (Do not write a

within 30 days from the date of well completion. (Do not write a	bove this line)	: No	-
(1) OWNER: Name LAVAA WECKS Address 18 63 6, NE HALSEY	(10) LOCATION OF WELL: County MULT NOMAN Driller's well number Who is N & is section 2.3 T. /3 R. 4/ E W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdiv	dsion corner	
New Well A Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed	well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary		d surface. Date 2	124/2
ASING INSTALLED: Threaded Welded Welded Gage 250 Diam. fromtt. tott. Gage	Depth drilled 60 ft. Depth of cor		0 ft.
ERFORATIONS: Perforated? Yes No.	Formation: Describe color, texture, grain size and show thickness and nature of each strawith at least one entry for each change of for position of Static Water Level and indicate p	atum and aquifer pen mation. Report each ch	etrated, lange in
Type of perforator used	MATERIAL	From To	swl
Size of perforations in. by in.	100 Soil	04	
perforations from ft. to ft.	CLAY BAOWN'	46	
perforations from ft. to ft.	CLAY RED	6 10	
ft. to ft.	BASALT BLACK	10 18	
(7) SCREENS: Well screen installed? Yes No	BASALT FRACTURED	12 60	_6_
Manufacturer's Name	·=.		
Type Model No.	<u> </u>		·
Diam. Slot size Set from ft. to ft.			 :
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Wes I No If yes, by whom?			, , , , , , , , , , , , , , , , , , ,
Yield:			
<u>" " " " " " " " " " " " " " " " " " " </u>			
" II II			
Bailer test gal./min. with ft. drawdown after hrs.		<u> </u>	
artesian flow g.p.m.	· ·	<u>l</u>	Anna Sala
rature of water Depth artesian flow encountered ft.	Work started 2/17 19 7 Comp	leted 2/80	19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	1 3/20	19 7
Well seal-Material used OFMENT	Drilling Machine Operator's Certification		
Well sealed from land surface to	This well was constructed under r Materials used and information report		
Diameter of well bore to bottom of sealin.	best knowledge and belief.	11 - 1	
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)	Mate 2/28	19.4
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License N	A 479	•
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operator's License N	Je	
Brand name of bentonite	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons	This well was drilled under my juri	sdiction and this re	port is
of water	true to the best of my knowledge and	belief.	
Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes ☐ No	Name WIFT WATER WEH	(Type or print	Ms.
The unit preses contests strongers water. I les I Mô	(Person, firm or corporation)	POTLOCK	y xD

(Water Well Contractor)

14 Date 2:

Contractor's License No. 🗘