WATER WELL REPORT STATE OF OREGON

MULT 002607

REGEIVED IS/4E-24 DEC 15 1981

WATER RECOURCES PORTING

(1) OWNER:	(10) LOCATION OF WELL:
Name Trout Creek Bible Camp	County Multnomah Driller's well number TCBC #1-8"
AddressRt. 1 Box 365	4 Section 24 T.1S R.4E W.M.
City Corbett State Or.	Tax Lot # Lot Blk Subdivision
(2) TYPE OF WORK (check):	Address at well location: Same as mailing
New Well M Deepening □ Reconditioning □ Abandon □	100
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 75 ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 21 ft. below land surface. Date $11/21/8$
Rotary Air 💆 Driven 🗆 Domestic 🖂 Industrial 🖂 Municipal 🛣	Artesian pressure lbs. per square inch. Date
Rotary Mud Dug Irrigation Test Well Other Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below casing
CACDIC DICEAL DED	Depth drilled 143 ft. Depth of completed well 143 ft.
(5) CASING INSTALLED: Steel	Formation: Describe color, texture, grain size and structure of materials; and show
8" "Diam from +1 ft to 70 ft, Gauge .250"	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level
"Diam. from ft. to ft. Gauge	and indicate principal water-bearing strata.
INER INSTALLED: no	MATERIAL From To SWL
"Diam from ft. to ft. Gauge	
(6) PERFORATIONS: Perforated? ☐ Yes ¾ No	
Type of perforator used	Clay med gray
Size of perforations in. by in,	Lava soft-med red 39 64
perforations from ft. to ft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes X No	
Manufacturer's Name	gray 120 143 WB
Type	
Diam. Slot Size Set from ft. to ft.	
Diam. Slot Size Set from ft. to ft.	
Drawdown is amount water level is lowered	
(8) WELL TESTS: below static level	
pump test made? Yes No If yes, by whom?	
gal/min. with ft. drawdown after hrs.	
<i>n n n</i>	
Air test 20 gal/min. with drill stem at 143 ft. $1\frac{1}{2}$ hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	
n flow g.p.m.	
Depth artesian flow encountered ft.	Work started 11/19 1981 Completed 11/21 181
(9) CONSTRUCTION: Special standards: Yes D No 🗵	Date well drilling machine moved off of well 11/21 181
Well seal—Material used Cement Grt	Drilling Machine Operator's Certification:
Well sealed from land surface to 70 ft.	This well was constructed under thy direct supervision. Materials used
Diameter of well bore to bottom of seal12in.	and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin.	[Signed] DWWn 5. MUM Date 11/231981
Number of sacks of cement used in well seal 24 sacks	Drilling Machine Operator's License No. 1370
How was cement grout placed? Press pumped from	Drilling Machine Operator's License No
70' up to surface	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief. Name West Coast Drilling Co. Inc.
Was a drive shoe used? He Yes I No Plugs Size: location ft.	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes No	Address 220 Adademy St. Mt. Angol. Or.
Type of Water? depth of strata	resimal harles Madelin
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? ☐ Yes ※☐ No Size of gravel:	Contractor's License No. 519 Date 11/23 , 1981
Gravel placed from ft to ft	1