## STATE OF OREGON

## WATER SUPPLY WELL REPORT (as required by ORS 537.765)

MULT9 54079

•		
(START CARD)	۱ #	096717
OTULI CUID	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Instructions for completing this report are on the last page of this form.						
(1) OWNER: 15991	(9) LOCATION OF WELL by legal description:					
Name Bonneville Power Alministration	County MWThomekatitude Longitude					
Address 12567 N. Columbia Blue Portland OR.	Township 2 Nor S Range / E or WM.					
City St Johns State OR Zip 97203	Section 36	SW 1/4_		1/4		
(2) TYPE OF WORK	Tax Lot352N/WTL 6360 Block Subdivision					
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address) 12567 N. Columbia					
(3) DRILL METHOD:		L. DR 9720				
	(10) STATIC WATER LEVEL:					
	31/1' ft. below land surface. Date $7-21-97$					
Other	Artesian pressure lb. per square inch. Date					
(4) PROPOSED USE:	(11) WATER BEARING ZONES:					
□ Domestic □ Community ► Industrial □ Irrigation □ Thermal □ Injection □ Livestock □ Other	(11) (11) 211 221 1111		_			
Thermal Injection Livestock Other  (5) BORE HOLE CONSTRUCTION:	Depth at which water was	first found 36	•	(19	40)_	
(5) BURE HULE CONSTRUCTION.	Dopai at willon water water					
Special Construction approval Yes No Depth of Completed Well 104 ft.	From	То	Estimated	Flow Rate	SWL	
Explosives used Yes No Type Amount SEAL	36	108		GPM		
11022						
10" 0 104 Hole Plug 10 104 58 SACKS						
Concrete 0 10 11.60# Bays						
CONCILIE O TO 11 GO- MAGO						
How was seal placed: Method A B C D E	(12) WELL LOG:	Elevation 45.3	.O			
	Ground	Elevation				
Other	Materia	.1	From	То	SWL	
	Sand	<u> </u>	0	72		
	Gravel & B	No lders	72	76		
(6) CASING/LINER:	Sand & Grav		76	95'		
Diameter From To Gauge Steel Plastic Welded Threaded	Sanc + Oraco	el 4/Boulders	95	108		
Casing: 10" 0 108 360	Sunc & Grace	4 7 BOMEETS	1-7-	100		
			<b>———</b>			
	Ah. In I	1) / Kentoud				
	Abandoned w/ Bentonite Chips					
Liner:		Coups	<del>                                     </del>			
Final location of shoe(s)	Ne Sag	Varience.	+			
(7) PERFORATIONS/SCREENS:		Vou rence	+			
Perforations Method torch		DEA	EIVE	-11		
Slot Type Material Tole/plpe		nev				
From To size Number Diameter size Casing Liner		0110		<u> </u>		
97' 108 1" 10" 🗓		AUG \$	2 <del> 7 1997</del>	<b></b>		
<del></del>		WATER RES	ALIBORE	DEDT		
			OREGO			
		SALEM	, Unequ	TV		
			+			
	Date started 7-/8	3 - 97 Comple	ted 2	19-97		
(8) WELLTESTS: Minimum testing time is 1 hour		Constructor Certification		<u> </u>		
Flowing	1 '	I performed on the constr		ation or ah	andonment	
Pump Bailer Air Artesian	I of this well is in complian	nce with Oregon water su	oo llaw vlaa	nstruction si	tandards.	
Yield gal/min Drawdown Drill stem at Time	Materials used and inform	nation reported above are	true to the b	est of my k	nowledge	
1 hr. and belief. WWC Number 175						
	W/MY	Ch Sait		Date 8-	7-9	
	Signed	- January		Date D	- 1	
Temperature of water Depth Artesian Flow Found (bonded) Water Well Constructor Certification:					unade	
Was a water analysis done? Yes By whom	nerformed on this well di	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work				
Did any strata contain water not suitable for intended use?	performed during this time	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.				
Salty Muddy Odor Colored Other	construction standards.	inis report is true to the b	est of my kno	owiedge and	75	
Depth of strata:	CMMY	OX H	WWC Nu		<u>.3-97</u>	
	Signed	C NMUYD		_ Date _ <u></u>	<u> -3 -97</u>	