(WELL I.D.)# L_

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

(as required by ORS 537.765)	(START CARD) # 154596	
Instructions for completing this report are on the last page of this form.		
(1) OWNER: Well Number Cascade #1	(9) LOCATION OF WELL by legal description	
Name Rockwood Water PUD	County Multnomah Latitude	Longitude
Address 19601 NE Halsey St.	Township 1 N Range 3 Section 29 SE 1/4 SE	
City Portland State OR Zip 97230		
(2) TYPE OF WORK	Tax Lot 300 Lot Block	Subdivision
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address) 19601	NE Halsey St.
(3) DRILL METHOD:	Portland, OR	
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER LEVEL:	
Other Perforate Casing and grout	ft. below land surface.	Date 2/10/03
(4) PROPOSED USE:	Artesian pressurelb. per square incl	h. Date
□ Domestic ☑ Community □ Industrial □ Irrigation (11) WATER BEARING ZONES:		
Thermal Injection Livestock Other		
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found	
Special Construction approval Yes No Depth of Completed Well 386 ft.	1 1	
Explosives used Yes No Type Amount	From To E	stimated Flow Rate SWL
HOLE SEAL	I DECENT	Garage Bases
Diameter From To Material From To Sacks or pounds		
	MAR 0 B 20	303
	(12) WELL LOG: WATER RESOURCE	
How was seal placed: Method A B C D E	Ground ElevationSALEM, OREG	<u>ON</u>
Other		
Backfill placed from ft. to ft. Material		From To SWL
Gravel placed from ft. to ft. Size of gravel	Abandoned 10-inch well to 386 feet.	
(6) CASING/LINER:	Video inspection revealed debris	
Diameter From To Gauge Steel Plastic Welded Threaded	consisting of concrete and metal at 300	
Casing:	feet. Tried unsucessfully to break up debris	
	Perforated 10-inch steel casing from 300	
	feet to surface. Abandoned well as follows	
	from the bottom up:	107
Liner:		00 197
		97 195 95 182
Final location of shoe(s)		
(7) PERFORATIONS/SCREENS:		32 170
Perforations Method		70 104
Stot Stot Material Televine	Cement - 35 sacks 10 Well is located inside of a concrete	04 0
From To size Number Diameter size Casing Liner	pump house. Pump house to remain.	
	See original log(Clac 617)	
(8) WELL TESTS: Minimum testing time is 1 hour	Date started 2/10/03 Completed	2/19/03
(unbanded) Water Wall Constructor Cartification		
Flowing Pump Bailer Air Artesian		
	I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.	
Yield gal/min Drawdown Drill stem at Time	Materials used and information reported above are true to the best of my knowledge	
1 hr.	and belief.	
- DIDDING		
newformed on this well during the absorbance of the manufact should be a fine and the second of the		
Did any strata contain water not suitable for intended use? Too little Salty Muddy Odor Colored Other construction standards. This report is put to the best of my knowledge and belief.		
Depth of strata: WWC Number 1464		
Signed Signed Date 2/4/03		
ODICINAL & EIDET CODY WATER DESCRIBES DEDARMENT SE		