STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

MULT 87885 02-25-2007

WELL LABEL # L 39275

Page 1 of 1

START CARD # 128954

(1) LAND OWNER Owner Well I.D.2	(9) LOCATION OF WELL (legal description)	
First Name JAMES & NANCY Last Name JOHNSON	County Multnomah Twp 1.00 N N/S Range 1.00 W	E/W WM
Company	Sec <u>22</u> <u>NW</u> 1/4 of the <u>NE</u> 1/4 Tax Lot <u>400</u>	
Address 11175 NW SALTZMAN RD	Tax Map Number Lot	
City PORTLAND State OR Zip 97229	Lat'' or	DMS or DD
(2) TYPE OF WORK New Well Deepening Conversion	Long ' ' or	DMS or DD
Alteration (repair/recondition)	Street address of well Nearest address	
	11175 NW SALTZMAN RD PORTLAND, OR. 97229	
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other Tubex Underreamer	(10) STATIC WATER LEVEL Date SWL(psi) +	SWL(ft)
	Existing Well / Predeepening	
(4) PROPOSED USE Domestic Irrigation Community	Completed Well 11-21-2000	275
Industrial/ Commercial Livestock Dewatering	Flowing Artesian? Dry Hole?	
Thermal Dijection Other	WATER BEARING ZONES Depth water was first found 375	5
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	SWL Date From To Est Flow SWL(psi) +	SWL(ft)
Depth of Completed Well 425.00 ft.	11-21-2000 375 380 20	275
BORE HOLE SEAL sacks/	11-21-2000 390 410 10	275
Dia From To Material From To Amt lbs	11-21-2000 415 425 70	275
12 0 20 Bentonite Chips 0 20 13 S		
9.6 20 425		
	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E		
	Material From Brown Clay 0	To 62
Other Poured	Tan Clay with small round Rock particles 62	72
Backfill placed from ft. to ft. Material Filter pack from ft. to ft. Material	Red Clay with small round Rock particles 02 72 72	173
	Light Brown Basalt & Red Clay 173	180
Explosives used: Yes Type Amount	Red Clay 180	207
(6) CASINC/LINED	Brown Clay 207	210
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Brown Weathered Basalt 210	267
0	Green & Brown Valcanic Tuff 267	272
	Green Broken Basalt 272	296
	Green & Red Broken Basalt 296	355
	Brown Clay 355	359
	Dark Green Weathered Basalt 359	375
	Green & Red Broken Basalt 375	390
Shoe Inside Outside Other Location of shoe(s) $\frac{424}{2}$	Green & Gray Broken Basalt 390 Red Broken Basalt 410	410 415
Temp casing \bigvee Yes Dia 10 From 1 To 3	Gray & Green Broken Basalt 415	415
(7) PERFORATIONS/SCREENS	Gray & Green Broken Basart 415	423
Perforations Method		
Screens Type Material		
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 11-14-2000 Completed 11-21-2000	
Screen Liner Dia From To width length slots pipe size	Completed 11-21-2000	
	(unbonded) Water Well Constructor Certification	
	I certify that the work I performed on the construction, deepening	
	abandonment of this well is in compliance with Oregon water	
	construction standards. Materials used and information reported ab the best of my knowledge and belief.	ove are true to
(8) WELL TESTS: Minimum testing time is 1 hour	License Number Date	
Pump Dailer Air Flowing Artesian		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	Signed	
100 420 1	(bonded) Water Well Constructor Certification	
	I accept responsibility for the construction, deepening, alteration, or abandonment	
	work performed on this well during the construction dates reported a	
Temperature 54 °F Lab analysis Yes By	performed during this time is in compliance with Oregon water	
Water quality concerns? [Yes (describe below)] construction standards. This report is true to the best of my knowledge and belief.		
From To Description Amount Units License Number 1679 Date02-25-2007		
	Electronically Filed	
	Signed THOMAS R DANNISON JR (E-filed)	
	Contact Info (ontional) (503)543-8383	

ORIGINAL - WATER RESOURCES DEPARTMENT

ORIGINAL - WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: 0.88