

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT MULT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 1N/1-7 AN

State Permit No.

RECEIVED FEB 26 1968 STATE ENGINEER

941 G-4242

(1) OWNER:

SALEM, OREGON
Name: MCCORMICK AND BAXTER CO
Address: 6900 N. EDGEWATER ROAD PORTLAND OREGON

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [X] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [X] Municipal []
Irrigation [] Test Well [] Other []

CASING INSTALLED:

12" Diam. from 0 ft. to 71 ft. Gage 330
12" Diam. from 91 ft. to 95 ft. Gage 330

PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [X] Yes [] No
Manufacturer's Name: EDWARD E. JOHNSON
Type: ARMCO IRON Model No.
Diam. 12 Slot size 100 Set from 71 ft. to 91 ft.

(8) WATER LEVEL: Completed well.

Static level 25 ft. below land surface Date 2/1/68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [X] Yes [] No If yes, by whom? STRASSER
Yield: 1030 gal./min. with 18 ft. drawdown after 6 hrs.

Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water 54 Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used CEMENT
Depth of seal 23 FEET ft.
Diameter of well bore to bottom of seal 20 in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [X] Yes [] No
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [X] Yes [] No Size of gravel: 1/4-1/8
Gravel placed from 55 ft. to 95 ft.

(11) LOCATION OF WELL:

County Multnomah Driller's well number 4369
SW 1/4 SW 1/4 Section 7 T. 1N R. 1E W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing
Depth drilled 95 ft. Depth of completed well 95 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: FILL SAND (0-12), SAND AND GRAVEL (12-23), SAND AND SILT (23-65), FINE SAND (65-70), COARSE SAND (70-95).

Work started JAN 18 1968 Completed FEB 6 1968

Date well drilling machine moved off of well FEB 7 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Ed Johnson Date FEB 15 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 57

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. STRASSER DRILLING CO (Person, firm or corporation) (Type or print)

Address 8110 SE SUNSET LANE PORTLAND ORE.

[Signed] Robert L. Strasser (Water Well Contractor)

Contractor's License No. 10 Date FEB 15 1968