NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

REGEIVED

WATER WELL REPORT FEB 26 1976

STATE OF OREGON

(Please type or WALTER RESOURCE

State Well No. ...

(Please type or Wint ER	RESOURCES	DEP.	Т.	
(Do not write above this line)AL	LEM, OREGON	State	Permit No.	

(1) OWNER	(10) LOCATION OF WELL:	
Name John Clown 1	County Driller's well nu	ımber
Address Rt. 1 Box 630 Salembre.	1/4 1/4 Section 8 T. 65	R. 320 W.M.
	Bearing and distance from section or subdivisi	on corner
(2) TYPE OF WORK (check):		
New Well □ Deepening ☑ Reconditioning □ Abandon □	±	
If abandonment, describe material and procedure in Item 12.	(11) WARRED TEXTEL. Commisted an	-11
	(11) WATER LEVEL: Completed w	en.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ft.
Rotary Driven Domestic Industrial Municipal D	Static level 43 ft. below land s	surface. Date 2 -/3-7
Cable Jetted	Artesian pressure Ibs. per squar	e inch. Date
CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well 1	pelow casing
" Diam. fromft. toft. Gage		eted well 255 ft.
" Diam. from ft. to ft. Gage		
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and show thickness and nature of each stratus	
	with at least one entry for each change of forma	tion. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal water-bearing strata.
Type of perforator used	MATERIAL	From To SWL.
	Breken Bankt.	214 248
ble of perforations 22. Sy	191-1010	
perforations from ft. to ft.	Blue A. Alexan Plans	248 256
perforations from ft. to ft.	Muc & Spirit Clary	70 200
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? \[\square \text{Yes} \text{No} \]		
.,		
Manufacturer's Name		
Type Model No		1
Diam. Slot size Set from ft. to ft.	4 14 August 2011	
Diam. Slot size Set from ft. to ft.		1
(2) WELL TESTS. Drawdown is amount water level is		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		
Yield: gal./mid. with ft. drawdown after hrs.		
" "		
" MU " " "	न सम्बद्धाः प्राप्तः । a series engles	
Bailer test gal./min. with ft. drawdown after hrs.	A	
Artesian flow g.p.m.	<u></u>	
perature of water Depth artesian flow encountered	Work started 2-5 1976 Complete	ted 2-11 1976
	Date well drilling machine moved off of well	2-13 1976
(9) CONSTRUCTION:	Date wen drining machine moved on or wen	_ 02 - 1 - 2 - 1 - 1
Well seal—Material used	Drilling Machine Operator's Certification	
Well sealed from land surface toft.	This well was constructed under my	
	Materials used and information reported best knowledge and belief	above are true to my
Diameter of well bore to bottom of sealin.		Date 2-17, 1976
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator)	Date . , 182
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.	455.
Number of sacks of bentonite used in well seal sacks		
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisd	liction and this report is
of water lbs./100 gals.	true to the best of my knowledge and be	lief.
Was a drive shoe used? \square Yes \square No Plugs Size: location ft.	Name KUBINSUN'S EULA WELL D	KILLING
Did any strata contain unusable water? Yes No	Name (Person, fiable) Captasord, N. V	(Type or print)
Type of water? depth of strata	Address SALEM, OREGON 9730	4
Method of sealing strata off	01 1/6	las som
	[Signed] (Water Well Con	tractor)
Was well gravel packed? Yes No Size of gravel:	17	2-23 1976
Gravel placed from ft. to ft.	Contractor's License No Date	
(ISE ADDITIONAL S	HEETS IF NECESSARY)	SP*45656-119