## STATE OF OREGON

WATER WELL REPORT (as required by ORS 537.765) PO1K-

| 6s/3w/17            |  |
|---------------------|--|
| (START CARD) # 8796 |  |

| (1) OWNER: Well Number:  | (9) LOCATION OF WELL by legal description:   |             |
|--|--|-------------|
| Name Berend Faher  | County Polk Latitude Longitude Longitude E or W,   | <u> </u>    |
| Address 7550 Wallace Rd NW City Salem State OB Zip 97304                         | Township 6~5 Nor S, Range 3 CO E or W.   | , WM.       |
|  | Section  | -           |
| (2) TYPE OF WORK:  | Tax Lot Lot Block Subdivision Street Address of Well (or nearest address) 7550 Wallace   | Rel         |
| New Well Deepen Recondition Abandon  | Salem OR   | 119         |
| (3) DRILL METHOD  ☐ Rotary Air ☐ Rotary Mud                                      | (10) STATIC WATER LEVEL:   |             |
| Other  | 12.5 ft. below land surface. Date 7-13   | 5-89        |
| (4) PROPOSED USE:  | Artesian pressure lb. per square inch. Date  | <u> </u>    |
| ☐ Domestic ☐ Community ☐ Industrial 🔀 Irrigation                                 | (11) WATER BEARING ZONES:  |             |
| ☐ Thermal ☐ Injection ☐ Other  | 1  |             |
| (5) BORE HOLE CONSTRUCTION:  | Depth at which water was first found   |             |
| Special Construction approval  Yes No Depth of Completed Well 58 ft.             | From To Estimated Flow Rate  | SWL         |
| Yes No L Explosives used Type Amount   | 17 25 5  | 12          |
| HOLE SEAL Amount   | 27 32 25-50<br>44 54 350   | 12.5        |
| Diameter From To Material From To sacks or pounds                                | 1 44 37 330  | 12.5        |
| 14 0 19 Cement 0 19 24 +   | (12) WELL LOG: Cround claration  | 1           |
| bentonite  | Ground elevation   |             |
| 10 19 68   | Material From To   | SWL         |
| How was seal placed: Method A B & C D E  | Soil 0 3 Sandy brown clay 3 7  |             |
| Other  | Sandy brown clay 3 7 dirty brown Sand (dry) 7 17   |             |
| Backfill placed fromft. toft. Material   | Gray Sand and Silt 17 25   | 12          |
| Gravel placed fromft. toft. Size of gravel                                       | Old decomposed tree 25 27  |             |
| (6) CASING/LINER:  | loose avavels 27 32  | 12,5        |
| Diameter From To Gauge Steel Plastic Welded Threaded Casing: 10 +1.5 68.5 .250 X | Silt gray 32 37  |             |
| Casing: 10 710 50.3 1239 X   | Silt and gravel 37 43  |             |
|  | Green clay and gravel 43 44 10058 avails & Sand 44 54  | 12,5        |
|  | Tight aracels + Clay 54 58   | 12,3        |
| Liner:   | Blue -aray silty clay +  |             |
|  | arave 58 62  |             |
| Final location of shoe(s) 68.5 feet  | Sticky gray clay 62 68   | <u> </u>    |
| (7) PERFORATIONS/SCREENS:  |  |             |
| Perforations Method Mill & Knife   | IN EGE VIOL  |             |
| Screens Type Material  | 100 100  |             |
| Slot Tele/pipe From To size Number, Diameter size Casing Liner                   | II WAR CER DELL  |             |
| 44 54 38X2 200 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \                                 | MATER RESOURCES DEPT.  |             |
|  | MATER RESOURCEON SALEM. OREGON   |             |
|  |  |             |
|  | 7-1-69 7-15-66   | <u> </u>    |
|  | Date started 7-6-89 Completed 7-15-80  | 1           |
| (8) WELL TESTS: Minimum testing time is 1 hour                                   | (unbonded) Water Well Constructor Certification:   | , .         |
| Pump 🖾 Bailer  | I certify that the work I performed on the construction, alter abandonment of this well is in compliance with Oregon well con- | struction   |
| / · · · · ·  | standards. Materials used and information reported above are true to   | my bes      |
| Yield gal/min Drawdown Drill stem at Time  | knowledge and belief.  WWC Number  |             |
| 70 6 1hr.  | Signed Date  |             |
| 360 30 /thrs   | (bonded) Water Well Constructor Certification:   |             |
| Temperature of water Depth Artesian Flow Found                                   | I accept responsibility for the construction, alteration, or aban  |             |
| • • • • • • • • • • • • • • • • • • •  | work performed on this well during the construction dates reported above. al.  |             |
| Did any strata contain water not suitable for intended use?   Too little         | construction standards. This report is true to the best of my knowl  | edge and    |
| ☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other   | belief. Po 1 Q Q WWC Number 1  | <u> 213</u> |
| Depth of strata:   | Signed Floyd A Sippe Date 7-17-  | 89          |