NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be filed with the

WATER WELL REPOECEIVED

STATE OF OREGON

(Please type or print)

			/_		, 5	4
State	Permit	No.	(7 -	1 1	, بد	1

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

Rotary

Cable

Dug

(Do not write a

of well completion. (Do not write abo	SALFM OPEGON
(1) OWNED.	(10) LOCATION OF WELL:
(1) OWNER:	
Name (Manue)	
Address M Joy 447 Address	1/4 Section 20 T. (5 R3 2/) W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon A	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotary	Static level /9 ft. below land surface. Date 5-6-25
Cable	Artesian pressure lbs. per square inch. Date
CASING INSTALLED:	(1)
CASING INSTALLED: Threaded Welded 550 Threaded Gage 250	(12) WELL LOG: Diameter of well below casing
	Depth drilled 65 ft. Depth of completed well 65 ft.
" Diam. from	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS; Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
3/,,	Livell to Longe Floores 38 48
Size of perforations in. by in.	Amall 10 Jones Charles 28 10
SSC perforations from 25 ft. to 58 ft.	Sand & Small Gravel 48 51
perforations from ft. to ft.	Sand + American Compiles 40 01
perforations from ft. to ft.	Imall to Lange Grand 51 165
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	amari / Sarrey 276 act 0/ 1/3
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00
PARTY MANUEL PARTY MANUEL PARTY BOY AND MANUEL PARTY NO MANUEL	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	The state of the s
" "	5.
" " "	A TOTAL TO THE STATE OF THE STA
Bailer test SC gal./min. with C ft. drawdown after f hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 4-24 19 75 Completed 5-6 1975
(A) CONCERNICATION	Date well drilling machine moved off of well 5-6 195.
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:
Well seal—Material used	This well was constructed under my direct supervision.
Well sealed from land surface to ft.	Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Drilling Machine Operator) Date 3, 19
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 455.
Number of sacks of bentonite used in well sealsacks	
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of waterlbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Dodingonic Lor & Turry Britishia
Did any strata contain unusable water? Yes No	(Parok NSO) - Son Clarow DRILL NG ype or print)
Type of water? depth of strata	Address 4510 DALIAS RD N.W.
Method of sealing strata off	[Signed] SALEM PROCESSION
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. 13 Date 5-12 , 1973