e	Well	No.	6	/3	W	_	30	ク
-								

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

STATE ENGINEER, SALEM OREGON STATE ENGINEER type or print)

1134 1134	State Well No	/3w.	- 3C
	State Permit No		•

(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level				
Name Mr. Vernon H. Gerberding	Was a pump test made?   Yes  No If yes, by whom?				
Address Route 1, Box 734	Yield: gal./min. with ft. drawdo	wn after hrs.			
Salem, Oregon	2) 2)	33			
(2) LOCATION OF WELL:	" "	**			
County Polk Driller's well number	Baller test 45 gal./min. with 10 ft. drawd	own after L hrs.			
14 14 Section 30 T. 6 S R. 3 W W.M.	Artesian flow g.p.m. Date Temperature of water 50 Was a chemical analysis				
Bearing and distance from section or subdivision corner		made? [] Yes [ No			
	(12) WELL LOG: Diameter of well below of	casing ** * *			
·	Depth drilled 76 ft. Depth of completed v	vell 76 ft.			
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifiers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.				
(3) TYPE OF WORK (check):	MATERIAL	FROM TO			
	- Although and a second a second and a second a second and a second a second and a second and a second and a	<u> </u>			
New Well M Deepening  Reconditioning  Abandon  A	Top soil	0 31			
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Brown clay	31 341			
Domestic   Industrial   Municipal   Rotary   Driven					
Irrigation Test Well Other Dug Bored	Blue shale	314 7191			
(6) CASING INSTALLED: Threaded Welded X	Sand & gravel (med.)	461 761			
10 " Diam. from ft. to ft. Gage					
"Diam. from 1 ft. above ground-level to		<u> </u>			
"Diam. from 76 ft feet below grant level		-			
(7) PERFORATIONS: Perforated? Y Yes \( \subseteq \text{No} \)		- 4-5			
Type of perforator used Cutting torch Size of perforations 4 in. by 8 in.					
perforations fromft. toft.					
86 perforations from 40 ft. to 74 ft.		7			
perforations from ft. to ft.	No.				
perforations from ft. to ft.					
perforations from ft. to ft.		<u> </u>			
(8) SCREENS: Well screen installed? ☐ Yes Y No					
Manufacturer's Name					
Tane Model No.					
ft. to ft.	Work started June 10, 1965. Completed	June 18, 19 65			
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well	June 18, 19 65			
(9) CONSTRUCTION:	(13) PUMP:	VILLO 103 AS O.			
Pontonita	(10) 1 0,121 .				
Well seal—Material used in seal	Manufacturer's Name	Constitution of the consti			
Diameter of well bore to bottom of sealin.	Type: H.P.				
Were any loose strata cemented off?  Yes No. Depth	Water Well Contractor's Certification:				
Was a drive shoe used? We Yes No	This wall was drilled under my installation	and this nament in			
Was well gravel packed? Yes \( \subseteq \text{No} \) Size of gravel: #2round	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this report is			
Gravel placed from	NAME ART CLINTON WELL DRILLING CO.  (Person, firm or corporation) (Type or print)				
Did any strata contain unusuable water?   Yes   No					
Type of water? depth of strata	Address Route 1, Box 2, Independence, Oregon 97351				
Method of sealing strata off  (10) WATER I FYELS.	Drilling Machine Operator's License No. 34				
(10) WATER LEVELS:	O 1 0/0 A				
Static level 26 ft. below land surface Date 6-10-65	[Signed] (Water Well Contractor)				
Artesian pressure lbs. per square inch Date	Contractor's License No. 14 Date July	10, <sub>19</sub> 65			