

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

WATER RESOURCES DEPT.
SALEM, OREGON

MAR 13 1978

State Well No.

State Permit No.

65/7W-35

(1) OWNER:

Name Frank Props
Address RT 7 Box 227
Sheridan Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
" Diam. from 0 + 1 ft. to 28 ft. Gage 250
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____

Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " "
" " " " " "
Pump test 300 gal./min. with 60 ft. drawdown after 1 hrs.
Artesian flow 7 g.p.m.

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 28 ft.
Diameter of well bore to bottom of seal 14 in.
Diameter of well bore below seal 10 in.
Number of sacks of cement used in well seal 10 sacks
How was cement grout placed? Pressure Grout

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? Yes No

Type of water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? Yes No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Polk Driller's well number _____
¼ Section 35 T. 6S R. 7W W.M. _____
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 34 ft.
Static level _____ ft. below land surface. Date _____
Artesian pressure 0 lbs. per square inch. Date 3-6-78

(12) WELL LOG:

Diameter of well below casing 10
Depth drilled 80 ft. Depth of completed well 77 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	1	
Clay Yellow	1	13	
CLAY Stone GRAY	13	34	
CLAY Stone GRAY Partly Broken	34	80	

Work started 3-1- 19 78 Completed 3-3- 19 78

Date well drilling machine moved off of well 3-3- 19 78

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Samuel H. Bandy Date 3-6, 19 78
(Drilling Machine Operator)

Drilling Machine Operator's License No. 209

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

EOLA WELL DRILLING
Name _____ (Person, firm or corporation) _____ (Type or print)
SALEM, OR 97304

Address _____

[Signed] Samuel H. Bandy
(Water Well Contractor)

Contractor's License No. 619 Date 3-6- 19 78