File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

WATER WELL REPORT STATE OF OREGON

State Well No. 7/3w-10 C(2)
State Permit No. 5R-2/66

J. 11211, J. 1211	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
Name T. W. MILLER Address & 2 15 PIVER BEND RD N.W.	Was a pump test made? ☐ Yes ☐ No If yes, by whom?
Address	Yield: gal./min. with ft. drawdown after hrs
SALEM ORY	" " " " " " " "
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdown after hrs
County Polk Owner's number, if any #2	Artesian flow g.p.m. Date
WE 1/4 NW 1/4 Section /0 T. 75 R. 3W W.M.	Temperature of water Was a chemical analysis made? Yes
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well inches
About 2600 Heast & 820 feet south from NW Corner of Section 10, T75 R3W,	(12) WELL LOG: Diameter of well inches inches Depth drilled 40' ft. Depth of completed well 50' ft
	Formation: Describe by color, character, size of material and structure, an show thickness of aquifers and the kind and nature of the material in each show the structure of the material in each character.
Se GR-2166 Cof # GR-2076 (8K#9)	show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation
Fine from Sump to Well JAM 1961	MATERIAL FROM TO
	TOPSOIL
(3) TYPE OF WORK (check): New Well → Deepening □ Reconditioning □ Abandon □	GRAVEL + SAND 6 - 0 18
New Well	CEMPHTED GRITUEL 13 31
	WHICH GRAVEL # 1"- 3! 32
PROPOSED USE (check): (5) TYPE OF WELL:	CENTENTED GRAVEL WB 32 40
Domestic Industrial Municipal Cable V Jetted	
Irrigation Test Well Other Dug Bored	
(6) CASING INSTALLED: Threaded Welded 32	5
(6) CASING INSTALLED: Threaded D Welded TO 3 2	
" Diam. from ft. to ft. Gage	
(7) PERFORATIONS: Perforated? No	
Type of perforator used M/LLS	
SIZE of perforations 3 " in. by 3 in.	
5/0 perforations from 7 ft. to ft.	DECEMBE
perforations from ft. to ft.	
perforations fromft. toft	JAN 1 1 1001 (U)
perforations fromft. toft	STATE FAICH
perforations from ft. to ft.	SALELINGINEER
(8) SCREENS: Well screen installed Yes No	OALEM, UREGON
Manufacturer's Name	
Tyy) Model No.	
Slot size Set from ft. to ft	Work started 7-5 1960 Completed 7-7 - 19
Slot size Set from ft, to ft	Work Statted
(9) CONSTRUCTION:	(13) PUMP:
Was well gravel packed? ☐ Yes M No Size of gravel:	
Gravel placed fromft. toft.	Type: H.P.
Was a surface seal provided? Yes \(\text{No To what depth?} \) Material used in seal— \(\text{PVMP College P} \)	Well Driller's Statement:
Did any strata contain unusable water? Yes No	This well was drilled under my jurisdiction and this report
Type of water? Depth of strata	true to the best of my knowledge and belief.
Method of sealing strata off	NAME J. M. SHEED 4 SONS (Person, firm, or corporation) (Type or print)
(10) WARED I EVELS.	1 DEALE DEPALLE CE VALE
(10) WATER LEVELS: Static level 6 ft. below land surface Date 7-7-6	Address 2505 BROOKS ST. SALE
Static level of the below land surface Date / / Artesian pressure lbs. per square inch Date	Driller's well number
	B.I Sugar.
Log Accepted by:	[Signed] (Well Driller)
D 111 WH A 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	の / クック
[Signed] M. M. M. Date L. J. J. 19.6	License No. Date