

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT
STATE OF OREGON

RECEIVED

7S/5W-16

STATE ENGINEER, SALEM, OREGON
within 30 days from the date of well completion.

NOV 21 1974

(Please type or print)

FEB 11 1974

State Well No. _____

STATE ENGINEER
SALEM, OREGON

Do not write above this line

STATE ENGINEER
SALEM, OREGON

State Permit No. _____

PO/K 2277

(1) OWNER:

Name Ross Simpson
Address RT 1 Box 100 Dallas Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
10" Diam. from 0 1/2 ft. to 20 ft. Gage 2.50
" Diam. from " ft. to " ft. Gage
" Diam. from " ft. to " ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by in.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Di _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
4 ft
Pump test 200 gal./min. with 180 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(5) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 20 ft.
Diameter of well bore to bottom of seal 14 in.
Diameter of well bore below seal 10 in.
Number of sacks of cement used in well seal 3 sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Polk Driller's well number _____
1/4 1/4 Section 16 T. 7S R. 5W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 19 ft.
Static level 9 ft. below land surface. Date 2-5-74
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 10"
Depth drilled 241 ft. Depth of completed well 240 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	1	
CLAY (Yellow)	1	9	
SANDSTONE (Gray)	9	62	
CLAY Stone (Gray)	62	76	
SAND Stone	76	131	
Cemented Gravel	131	152	
Tuffstone (Green)	152	174	
CLAY Stone (Gray)	174	240	

Work started 1-4 1974 Completed 1-16 1974
Date well drilling machine moved off of well 2-5- 1974

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Harold H. Bond Date 2-5, 1974
(Drilling Machine Operator)

Drilling Machine Operator's License No. 289

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Robinson Earth Drilling
(Person, firm or corporation) (Type or print)
Address 4510 Dallas Hwy. Salem Ore
[Signed] Robinson
(Water Well Contractor)
Contractor's License No. 13 Date 2-5, 1974