NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON State Well No. 85/4W-3eb

(Please type or Sint ATE ENCE A EER

(Do not write above this line) EM. OF 200 State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	#
Name RickRealL Water ASSN	County Polk Driller's well number Hell	
Address Box 41 Richveall Ore	NIU 14NE 14 Section 3 T. 75 R.	1100 w.m.
	Bearing and distance from section or subdivision	
(2) TYPE OF WORK (check): Finishing		
New Well Deepening Reconditioning Abandon		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	-	
Determ D Determ D	Depth at which water was first found ft.	
Cable Jetted D	Static level 2 ft. below land surfa	
Bored Irrigation Test Well Other	Artesian pressure lbs. per square in	ich. Date /
CASING INSTALLED: Threaded Welded 250 "Diam from O+2 ft to 4 ft Gage 250 "Diam from ft to ft Gage "Diam from ft to ft Gage "Perforated? Yes No.	(12) WELL LOG: Depth drilled ft. Depth of completed well ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.	
,	MATERIAL F	rom To SWL
Type of perforator used	MATERIAL CONTRACTOR OF THE CON	10
Size of perforations in. by in.		
perforations from		
perforations from ft. to ft	Teg ×	
perforations from 11, to 12.	X Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	
(7) SCREENS: Well screen installed? Yes \(\square\) No	600	
Manufacturer's Name	100	
Type Stantes Steel Model No. 3C4		
Diam. 11 Slot size 100 Set from 40 ft. to 54 ft.		
Diam. // Slot size 60 Set from 54 ft. to 37 ft.		
(8) WELL TESTS: Drawdown is amount water level is		
Notices seems state level hopins		
Was a pump test made? Yes No If yes, by whom? Fels Dilling		
y: 125 gal./min. with 33 ft. drawdown after 24 hrs.		
" "		
n i n n		
Bailer test gal./min. with ft. drawdown after hrs.		
vian flow g.p.m.		
Depth artesian flow encountered ft.	Work started / 2 // 8 1972 Completed	3/4 1973
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3/4 1973
Well seal—Material used County County	Drilling Machine Operator's Certification:	/
Well sealed from land surface to 2.7 ft.	This well was constructed under my di Materials used and information reported ab	
Diameter of well bore to bottom of seal	best knowledge and belief.	•
Diameter of well bore below seal in.	[Signed] Day (Driffing Machine Operator)	te 4/20, 19 <i>7</i> 3
Number of sacks of cement used in well seal	Drilling Machine Operator's License No.	
Number of sacks of bentonite used in well seal sacks	Diming Machine Operator's Encense 140	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is	
of water	true to the best of my knowledge and belief.	
Was a drive shoe used? 💆 Yes 🗆 No Plugs Size: location ft.	Name (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No	Address 45/6 /3/625 Salien Heg./	
Type of water? depth of strata		
Method of sealing strata off	[Signed] (Water Well Contracto	2.000 or)
Was well gravel packed? Yes No Size of gravel:	Contractor's License No	
Gravel placed from ft. to ft.	Contractor's License No/ Date/	. x, 19 ./