NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT CEIVED

STATE OF OREGON

AUG 3 1 1973 state Well No. 85

(Please type or print)

STATE ENGINEER Permit No. (Do not write above this line) ALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:
Name Verry Warkentine	County PohK Driller's well number Wasken tutty
Address Rt 3, Boy 151A	5W 14 SW 14 Section / T. 85 R. 5W W.M.
alld's Oregon	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (eleck):	
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 2 4 ft.
Rotary [] Driven []	1.5
Cable Jetted	Static level / ft. below land surface. Date 8 29-73
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
272 0 Diam. from O ft. to 60 ft. Gage 1 250	Jameter of wen below casing
	Depth drilled 6 ft. Depth of completed well 6 ft.
	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated.
DEDECO AMYONG	with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used land	MATERIAL From To SWL
Size of perforations in. by in.	Top Soil 02 -
perforations from 57 ft. to 59 ft.	RED CLAY 28 -
perforations from	DRAVEL-W/Clay-MED & 18 -
perforations from ft. to ft.	Clay Blue / 18 20 -
(7) SCREENS: Well screen installed? The Property of the screen installed?	DRAVEL-CONSOLING.
West person imponion. I les E 110	7 FD 20 25 18
Manufacturer's Name	Clay - Blue - SOFT 25 45 18
Type Model No Diam Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	Grand- FIME 45 46 18
Diet size Set Hom It. to It.	11018/11-
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	(1LAY-13LUE 46 54 18
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	BRAVEL -MED 54 60 18
Wields and forth the state of t	DRAVEL -MED 54 60 18
The state of the s	CLAY-BLUE-W/BRA-60 64 18
" " "	15/
" " "	The state of the s
Bailer test 50 gal./min. with 15 ft. drawdown after 2 hrs.	
Artesian flow g.p.m.	
erature of water 5 4 Depth artesian flow encountered ft.	Work started 8-2 1973 Completed 8-79 1973
(0) CONGENITATION (0)	Date well drilling machine moved off of well 1973
(9) CONSTRUCTION:	Eath with drifting machine moved our or went 3 30 19/3
Well seal-Material used	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief
Diameter of well bore below seal in.	[Signed] Date 8-30, 19.73
Number of sacks of cement used in well seal	(Drilling Machine Operator) Drilling Machine Operator's License No. 45
Number of sacks of bentonite used in well seal	Drilling Machine Operator's License No.
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water lbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Le Yes No Plugs Size: location ft.	Name / otal willing blevice
Did any strata contain unusable water? Yes	Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address M Jook JAN MONN 6011301)
Method of sealing strata off	[Signed]
Was well gravel packed? 🗌 Yes 🗗 No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 450 Date 8-30 , 1973