## FICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

## E C E WATER WELL REPORT E I VE

State Well No. .

9/400-1

STATE ENGINEER, SALEM, OREGON 97810 within 30 days from the date of well completion.

97810. JUN 26 190 Please type or brint) AUG 10 1967

STATE ENGINEER STATE ENGINEER Permit No.

AARFGON	CALEM OREGON		
(1) OWNER:	(11) LOCATION OF WELL:		
Name Orville Hill	County Polk Driller's well no	ımber	
Address 614 S. Main St. Independence, Oregon	South & N. Wsection 1 T. 98	R. LW	W.M.
(9) TWDE OF WORK (AL.AL).	Bearing and distance from section or subdivision	n corner	
(2) TYPE OF WORK (check):			
New Well   Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well h	elow casing	-0-
Rotary	Depth drilled 31 ft. Depth of comple		34 ft.
Dug Bored   Irrigation T Test Well Other	Formation: Describe color, texture, grain size	and structur	
(5) CASING INSTALLED: Threaded   Welded	and show thickness and nature of each stratu	m and aquif	fer penetrated,
" Diam. from ft. to ft. Gage	with at least one entry for each change of form in position of Static Water Level as drilling pro		
	MATERIAL	From	To SWL
ft. Gageft.			
PERFORATIONS: Perforated? For Yes [7] No.			
PERFORATIONS: Perforated? We res no.  Type of perforator used Cutting torch	Willamette Soil	0	91
	-		
	Med. sandy gravel &		
perforations from 28 ft. to 33 ft.	Brown clay	91	21' 17'
perforations from ft. to ft.	T 0		
perforations fromft. toft.	Large & small gravel mix	291	341
perforations fromft. toft.	and sand (water bearing)	77.	24.
	(water bearing)		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No			
Manufacturer's Name	2.		
Type Model No Diam Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WATER LEVEL: Completed well.			*
fic level 17 ft. below land surface Date 6/7/67			
Artesian pressure lbs. per square inch Date	,		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? Yes No If yes, by whom?			
gal./min. with ft. drawdown after hrs.	Work started June 6, 1967 Complete	<sub>ed</sub> June	7, 1967
" " "	Date well drilling machine moved off of well	June	7, 1967
" " " " "	Drilling Machine Operator's Certification:	1.0	
	This well was constructed under my di		
	rials used and information reported above knowledge and belief.	re are true	to my best
Artesian flow g.p.m. Date	10 40 M	بر. آ <sub>11</sub>	ne 20- 67
Temperature of water 51° Was a chemical analysis made? ☐ Yes ☐ No	[Signed] (Drilling Machine Operator)	Date Ju.	ne 20, 67 ly 19, 196
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	493	
Well seal—Material used <u>Clay and bentonite</u>			
Depth of seal	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisditue to the best of my knowledge and believed.		this report is
Were any loose strata cemented off?  Yes No Depth	NAME ART CLINTON WELL DRILLING CO.		
Was a drive shoe used? Yes \( \sum \) No	(Person, firm or corporation) (Type or print)		
Did any strata contain unusable water?  Yes No	Address Rt. 1, Box 2, Independence, Oregon		
Type of water? depth of strata	O lalo 1		
Method of sealing strata off	[Signed] (Water Well Contrac	Corton)	
Was well gravel packed?  No Size of gravel: #2		•	20 27
Gravel placed from18 ft. to314 ft.	Contractor's License No. 11 Date	oune ?	20, 19.67