

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

RECEIVED JUN 28 1966

State Well No.

State Permit No.

Well #5

9/4w-3C

POK 3740

no 1

(1) OWNER:

Name Frank Kraeger Address R. 1, Box 18

(2) LOCATION OF WELL:

County Polk Driller's well number 40 1/4 Section 3 T. 9 S. R. 4 W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well X Deepening Reconditioning Abandon

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation X Test Well Other

(5) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(6) CASING INSTALLED:

12" Diam. from 0 ft. to 47 ft. Gage 350

(7) PERFORATIONS:

Perforated? Yes No Type of perforator used tarom 7 Rows Size of perforations 5 in. by 14 in. perforations from 35 ft. to 45 ft.

(8) SCREENS:

Well screen installed? Yes No Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal Material used in seal 46 Gravel Packed Depth of seal 46 ft. Was a packer used? No Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? Yes No Depth Was a drive shoe used? Yes No Was well gravel packed? Yes No Size of gravel: 1 1/2 mi Gravel placed from ft. to ft. Did any strata contain unusable water? Yes No Type of water? depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 7 ft. below land surface Date 5/26 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? owner Yield: 300 gal./min. with 4 ft. drawdown after 4 hrs.

(12) WELL LOG:

Diameter of well below casing Depth drilled 47 ft. Depth of completed well 47 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Entries: Top soil (0-10), coarse gravel (10-31), hard pan (31-33), sand & gravel (33-46), Grey clay (46-47). Includes note: 32 - 7 1/2 gal opening pp'd by 5 min. 11' CUT OF TO USE CENT. NO SEAL

Work started 5/19 19 Completed 5/26 19 Date well drilling machine moved off of well 5/27 19

(13) PUMP:

Manufacturer's Name Type: Electric H.P. 15

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R.C. WESTON (person, firm or corporation) Address R. 2, Box 551 ADAMS Drilling Machine Operator's License No. 27 [Signed] R.C. Weston (Water Well Contractor) Contractor's License No. 244 Date 5/27 1966